Proving Geometric Relationships 2.6



Learning Target

Prove geometric relationships.

Success Criteria

- I can prove geometric relationships by writing flowchart proofs.
- I can prove geometric relationships by writing paragraph proofs.

EXPLORE IT!

Completing Flowchart Proofs

Work with a partner.

a. Complete the flowchart to prove that AB = BC.

Given
$$AC = AB + AB$$

Prove $AB = BC$


Prove
$$AB = BC$$

$$AC = AB + AB$$

Math Practice

Recognize Usefulness of Tools

Why is it helpful to sketch a diagram when writing certain proofs?




$$AB + BC = AB + AB$$

AB = BC

b. Complete the flowchart to prove that $\overrightarrow{JM} \perp \overrightarrow{LN}$.

Given $\angle JKL \cong \angle MKL$



$$m \angle JKL + m \angle MKL = 180^{\circ}$$
 $m \angle JKL + m \angle JKL = 180^{\circ}$ $2(m \angle JKL) = 180^{\circ}$

 $m \angle JKL = 90^{\circ}$

- c. How can you use a flowchart to prove a mathematical statement?
- d. Compare the flowchart proofs above with the proofs in the 2.5 Explore It! Explain the advantages and disadvantages of each.

 $\overrightarrow{JM} \perp \overrightarrow{LN}$

Vocabulary

AZ VOCAB

flowchart proof, or flow proof, p. 102 paragraph proof, p. 104

Writing Flowchart Proofs

Another proof format is a **flowchart proof**, or **flow proof**, which uses boxes and arrows to show the flow of a logical argument. Each reason is below the statement it justifies. A flowchart proof of the Right Angles Congruence Theorem is shown in Example 1.

THEOREM

2.3 Right Angles Congruence Theorem

All right angles are congruent.

EXAMPLE 1

Proving the Right Angles Congruence Theorem

Use the given flowchart proof to write a two-column proof of the Right Angles Congruence Theorem.




STUDY TIP


When you prove a theorem, write the hypothesis of the theorem as the Given statement. The conclusion is what you must Prove.

Given $\angle 1$ and $\angle 2$ are right angles.

Prove $\angle 1 \cong \angle 2$



Flowchart Proof



Two-Column Proof


100 Column 11001	
STATEMENTS	REASONS
1. $\angle 1$ and $\angle 2$ are right angles.	1. Given
2. $m \angle 1 = 90^{\circ}, m \angle 2 = 90^{\circ}$	2. Definition of right angle
3. $m \angle 1 = m \angle 2$	3. Transitive Property of Equality
4. ∠1 ≅ ∠2	4. Definition of congruent angles

SELF-ASSESSMENT 1 I do not understand. 2 I can do it with help.

3 I can do it on my own.

4 I can teach someone else.

1. Complete the flowchart proof. Then write a two-column proof.



THEOREMS


GO DIGITAL

2.4 Congruent Supplements Theorem

If two angles are supplementary to the same angle (or to congruent angles), then they are congruent.

If $\angle 1$ and $\angle 2$ are supplementary and $\angle 3$ and $\angle 2$ are supplementary, then $\angle 1 \cong \angle 3$.

Prove this Theorem Exercise 20 (case 2), page 109




STUDY TIP

To prove the Congruent Supplements Theorem, you must prove two cases: one with angles supplementary to the same angle and one with angles supplementary to congruent angles. The proof of the Congruent Complements Theorem also requires two cases.

2.5 Congruent Complements Theorem

If two angles are complementary to the same angle (or to congruent angles), then they are congruent.

If $\angle 4$ and $\angle 5$ are complementary and $\angle 6$ and $\angle 5$ are complementary, then $\angle 4 \cong \angle 6$.



Prove this Theorem Exercise 19 (case 1), page 108; Exercise 24 (case 2), page 110

EXAMPLE 2


Proving a Case of the Congruent Supplements Theorem



Use the given two-column proof to write a flowchart proof that proves that two angles supplementary to the same angle are congruent.

Given $\angle 1$ and $\angle 2$ are supplementary. $\angle 3$ and $\angle 2$ are supplementary.


Prove $\angle 1 \cong \angle 3$



Two-Column Proof

STATEMENTS	REASONS
1. ∠1 and ∠2 are supplementary. ∠3 and ∠2 are supplementary.	1. Given
2. $m\angle 1 + m\angle 2 = 180^{\circ}$, $m\angle 3 + m\angle 2 = 180^{\circ}$	2. Definition of supplementary angles
3. $m \angle 1 + m \angle 2 = m \angle 3 + m \angle 2$	3. Transitive Property of Equality
4. $m \angle 1 = m \angle 3$	4. Subtraction Property of Equality
5. ∠1 ≅ ∠3	5. Definition of congruent angles

Flowchart Proof



GO DIGITAL



Another proof format is a **paragraph proof**, which presents the statements and reasons of a proof as sentences in a paragraph. It uses words to explain the logical flow of the argument.


Two intersecting lines form pairs of vertical angles and linear pairs. The *Linear Pair Postulate* formally states the relationship between angles that form linear pairs. You can use this postulate to prove the *Vertical Angles Congruence Theorem*.

POSTULATE AND THEOREM

2.8 Linear Pair Postulate


If two angles form a linear pair, then they are supplementary.

 $\angle 1$ and $\angle 2$ form a linear pair, so $\angle 1$ and $\angle 2$ are supplementary and $m\angle 1 + m\angle 2 = 180^{\circ}$.



2.6 Vertical Angles Congruence Theorem

Vertical angles are congruent.



EXAMPLE 3


Proving the Vertical Angles Congruence Theorem



Use the given paragraph proof to write a two-column proof of the Vertical Angles Congruence Theorem.

Given $\angle 5$ and $\angle 7$ are vertical angles.

Prove $\angle 5 \cong \angle 7$



STUDY TIP

In paragraph proofs, transitional words such as so, then, and therefore help make the logic clear.

Paragraph Proof

 $\angle 5$ and $\angle 7$ are vertical angles formed by intersecting lines. As shown in the diagram, $\angle 5$ and $\angle 6$ are a linear pair, and $\angle 6$ and $\angle 7$ are a linear pair. Then, by the Linear Pair Postulate, $\angle 5$ and $\angle 6$ are supplementary and $\angle 6$ and $\angle 7$ are supplementary. So, by the Congruent Supplements Theorem, $\angle 5 \cong \angle 7$.

Two-Column Proof

STATEMENTS A ≤5 and ∠7 are vertical angles. A ≤5 and ∠6 are a linear pair. A ≤6 and ∠7 are a linear pair. B ≤6 and ∠6 are supplementary. A ≤6 and ∠7 are supplementary. A ≤6 and ∠7 are supplementary. A ≤6 and ∠7 are supplementary. A ∈6 and ∠7 are supplementary. A ∈7 and ∠7 are supplementary. A ∈8 and ∠7 are supplement

STUDY TIP

Your proof can use information that is labeled in a diagram.

EXAMPLE 4


Using Angle Relationships



Find the value of x.

SOLUTION

 $\angle TPS$ and $\angle QPR$ are vertical angles. By the Vertical Angles Congruence Theorem, the angles are congruent. Use this fact to write and solve an equation.



$$m \angle TPS = m \angle QPR$$

$$148^{\circ} = (3x + 1)^{\circ}$$

$$147 = 3x$$

Subtract 1 from each side.

$$49 = x$$

Divide each side by 3.



So, the value of x is 49.

SELF-ASSESSMENT 1 I do not understand. 2 I can do it with help. 3 I can do it on my own. 4 I can teach someone else.



2. Complete the two-column proof. Then write a flowchart proof.

Given
$$AB = DE, BC = CD$$

Prove
$$\overline{AC} \cong \overline{CE}$$

STATEMENTS

REASONS

1.
$$AB = DE, BC = CD$$

2. AB + BC = BC + DE

$$4. AB + BC = AC, CD + DE = CE$$

6.
$$\overline{AC} \cong \overline{CE}$$

3. Write a two-column proof of the Vertical Angle Congruence Theorem without using the Congruent Supplements Theorem. Compare your proof with the proof in Example 3.

Use the diagram and the given angle measure to find the other three angle measures.




5.
$$m\angle 2 = 59^{\circ}$$


6.
$$m \angle 4 = 88^{\circ}$$



7. Find the value of w.



8. Find the values of a and b.



EXAMPLE 5

Using the Vertical Angles Congruence Theorem





Write a paragraph proof.

Given $\angle 1 \cong \angle 4$

Prove $\angle 2 \cong \angle 3$

Paragraph Proof

 $\angle 1$ and $\angle 4$ are congruent. By the Vertical Angles Congruence Theorem, $\angle 1 \cong \angle 2$ and $\angle 3 \cong \angle 4$. By the Transitive Property of Angle Congruence, $\angle 2 \cong \angle 4$. Using the Transitive Property of Angle Congruence once more, $\angle 2 \cong \angle 3$.



SELF-ASSESSMENT 1 I do not understand.

2 I can do it with help.

3 I can do it on my own.

4 I can teach someone else.

9. Write a paragraph proof.

Given $\angle 1$ is a right angle.


Prove $\angle 2$ is a right angle.

CONCEPT SUMMARY

Types of Proofs for the Symmetric Property of Angle Congruence

Given $\angle 1 \cong \angle 2$

Prove $\angle 2 \cong \angle 1$




Two-Column Proof

STATEMENTS	REASONS
1. ∠1 ≅ ∠2	1. Given
2. $m \angle 1 = m \angle 2$	2. Definition of congruent angles
3. $m \angle 2 = m \angle 1$	3. Symmetric Property of Equality

Flowchart Proof

4. ∠2 ≅ ∠1



Paragraph Proof

 $\angle 1$ is congruent to $\angle 2$. By the definition of congruent angles, the measure of $\angle 1$ is equal to the measure of $\angle 2$. The measure of $\angle 2$ is equal to the measure of $\angle 1$ by the Symmetric Property of Equality. Then by the definition of congruent angles, $\angle 2$ is congruent to $\angle 1$.


4. Definition of congruent angles

2.6 Practice with CalcChat® AND CalcView®




In Exercises 1–4, identify the pair(s) of congruent angles in the figures. Explain how you know they are congruent.


1.




2




3.




4. $\angle ABC$ is supplementary to $\angle CBD$. $\angle CBD$ is supplementary to $\angle DEF$.




In Exercises 5–8, use the diagram and the given angle measure to find the other three measures.








8. $m \angle 4 = 29^{\circ}$




In Exercises 9–12, find the value of each variable.

Example 4







10.




11.




13. ERROR ANALYSIS Describe and correct the error in using the diagram to find the value of *x*.






14. COLLEGE PREP Which statements can you conclude from the diagram? Select all that apply.




- (\mathbf{A}) $\angle VZT \cong \angle XZY$
- $(\mathbf{B}) \angle VZT \cong \angle VZW$
- \bigcirc $\angle VZX \cong \angle TZY$
- $(\mathbf{D}) \angle VZW \cong \angle XZY$
- **15. MAKING AN ARGUMENT** Your friend claims that $\angle 1 \cong \angle 4$ because they are vertical angles. Is your friend correct? Support your answer with definitions or theorems.



16. MP STRUCTURE Find the measure of each angle in the diagram.








Example 1

Given
$$\angle 1 \cong \angle 3$$

Prove $\angle 2 \cong \angle 4$




18. PROOF Complete the two-column proof. Then write a flowchart proof.

Example 2

Given $\angle ABD$ is a right angle.

 $\angle CBE$ is a right angle.

Prove $\angle ABC \cong \angle DBE$



STATEMENTS	REASONS
 ∠ABD is a right angle. ∠CBE is a right angle. 	1
2. $\angle ABC$ and $\angle CBD$ are complementary.	2. Definition of complementary angles
3. $\angle DBE$ and $\angle CBD$ are complementary.	3


19. PROVING A THEOREM Complete the paragraph proof for the Congruent Complements Theorem. Then write a two-column proof. **Example** 3

Given $\angle 1$ and $\angle 2$ are complementary.

 $\angle 1$ and $\angle 3$ are complementary.

Prove $\angle 2 \cong \angle 3$

4. $\angle ABC \cong \angle DBE$



 $\angle 1$ and $\angle 2$ are complementary, and $\angle 1$ and $\angle 3$ are complementary. By the definition of _____ angles, $m\angle 1 + m\angle 2 = 90^{\circ}$ and ____ = 90°. By the _____, $m\angle 1 + m\angle 2 = m\angle 1 + m\angle 3$. By the Subtraction Property of Equality, ______. So, $\angle 2 \cong \angle 3$ by the definition of

20. PROVING A THEOREM Complete the two-column proof for the Congruent Supplements Theorem. Then write a paragraph proof. \(\sumbellet \) *Example 5*



Given $\angle 1$ and $\angle 2$ are supplementary. $\angle 3$ and $\angle 4$ are supplementary. $\angle 1 \cong \angle 4$



Prove $\angle 2 \cong \angle 3$

STATEMENTS	REASONS
 1. ∠1 and ∠2 are supplementary. ∠3 and ∠4 are supplementary. ∠1 ≅ ∠4 	1. Given
2. $m\angle 1 + m\angle 2 = 180^{\circ}$, $m\angle 3 + m\angle 4 = 180^{\circ}$	2
3. = $m \angle 3 + m \angle 4$	3. Transitive Property of Equality
4. $m \angle 1 = m \angle 4$	4. Definition of congruent angles
5. $m \angle 1 + m \angle 2 = $	5. Substitution Property of Equality
6. $m \angle 2 = m \angle 3$	6
7	7

21. WRITING Explain why you do not use inductive reasoning when writing a proof.

22. HOW DO YOU SEE IT?

Consider the two-column proof. What is the writer trying to prove?

Given
$$\angle 1 \cong \angle 2$$

 $\angle 1$ and $\angle 2$ are supplementary.

Prove _____


STATEMENTS	REASONS
1. $\angle 1 \cong \angle 2$ $\angle 1$ and $\angle 2$ are supplementary.	1. Given
. <i>m</i> ∠1 = <i>m</i> ∠2	2. Definition of congruent angles
3. $m \angle 1 + m \angle 2 = 180^{\circ}$	3. Definition of supplementary angles
$1. \ m \angle 1 + m \angle 1 = 180^{\circ}$	4. Substitution Property of Equality
5. $2(m\angle 1) = 180^{\circ}$	5. Simplify.
5. m ∠1 = 90°	6. Division Property of Equality
7. $m\angle 2 = 90^{\circ}$	7. Transitive Property of Equality
8	8

PROOF In Exercises 23–26, write a proof using any format.

23. Given $\angle QRS$ and $\angle PSR$ are supplementary. **Prove** $\angle QRL \cong \angle PSR$

24. Given $\angle 1$ and $\angle 3$ are complementary. $\angle 2$ and $\angle 4$ are complementary.

Prove $\angle 1 \cong \angle 4$



25. Given $\overline{JK} \perp \overline{JM}, \overline{KL} \perp \overline{ML}$, $\angle J \cong \angle M$, $\angle K \cong \angle L$


Prove $\overline{JM} \perp \overline{ML}$ and $\overline{JK} \perp \overline{KL}$





26. Given $\angle AEB \cong \angle DEC$

Prove $\angle AEC \cong \angle DEB$



27. CRITICAL THINKING Is the converse of the Linear Pair Postulate true? If so, write a biconditional statement. If not, explain why not.

28. THOUGHT PROVOKING

Draw three lines all intersecting at the same point. Label two of the angle measures so that you can find the remaining four angle measures. Explain how you chose which angle measures to label.



REVIEW & REFRESH


29. Complete the statement. Name the property you use.

If $\overline{RS} \cong \overline{TU}$ and $\overline{TU} \cong \overline{VW}$, then



In Exercises 30–32, use the cube.

- **30.** Name three collinear points.
- **31.** Write an example of the Three Point Postulate.




- **32.** Name two planes containing \overline{BC} .
- **33. MODELING REAL LIFE** The final velocity v_f of an object is given by the formula $v_f = v_i + at$, where v_i is the initial velocity, a is the acceleration, and *t* is the time.
 - **a.** Solve the formula for *t*. Justify each step.
 - **b.** A car with an initial velocity of 14 meters per second accelerates at a constant rate of 2.5 meters per second squared. How many seconds does it take the car to reach a final velocity of 29 meters per second?

- **34.** Complete the square for $x^2 14x$. Then factor the trinomial.
- **35.** Complete the two-column proof. Then write a flowchart proof.

Given $\angle 1 \cong \angle 2$

Prove $\angle 1 \cong \angle 3$



STATEMENTS	REASONS
1. ∠1 ≅ ∠2	1. Given
2. ∠2 ≅ ∠3	2
3	3. Transitive Property of Angle Congruence

In Exercises 36–39, graph the function.

- **36.** $f(x) = -x^2 6$
 - **37.** $g(x) = 2x^2 2x + 3$
- **38.** y = (x + 2)(x 4) **39.** $y = -3(x 1)^2 + 4$