
# 7.3 Proving That a Quadrilateral Is a Parallelogram

**Essential Question** How can you prove that a quadrilateral is a parallelogram?

## **EXPLORATION 1**

## **Proving That a Quadrilateral Is a Parallelogram**

# Work with a partner. Use dynamic geometry software.



## REASONING ABSTRACTLY

To be proficient in math, you need to know and flexibly use different properties of objects.


- **a.** Construct any quadrilateral *ABCD* whose opposite sides are congruent.
- **b.** Is the quadrilateral a parallelogram? Justify your answer.
- **c.** Repeat parts (a) and (b) for several other quadrilaterals. Then write a conjecture based on your results.
- **d.** Write the converse of your conjecture. Is the converse true? Explain.

## **EXPLORATION 2**

## **Proving That a Quadrilateral Is a Parallelogram**

Work with a partner. Use dynamic geometry software.

- **a.** Construct any quadrilateral *ABCD* whose opposite angles are congruent.
- **b.** Is the quadrilateral a parallelogram? Justify your answer.



## Sample

Points

A(0, 0)

B(1, 3)

C(6, 4)

D(5, 1)

Angles  $\angle A = 60.26^{\circ}$ 

∠B = 119.74°

 $\angle C = 60.26^{\circ}$ 

 $\angle D = 119.74^{\circ}$ 

- **c.** Repeat parts (a) and (b) for several other quadrilaterals. Then write a conjecture based on your results.
- **d.** Write the converse of your conjecture. Is the converse true? Explain.

## Communicate Your Answer

- **3.** How can you prove that a quadrilateral is a parallelogram?
- **4.** Is the quadrilateral at the left a parallelogram? Explain your reasoning.

## Lesson

## Core Vocabulary

**Previous** 

diagonal parallelogram

## What You Will Learn

- Identify and verify parallelograms.
- Show that a quadrilateral is a parallelogram in the coordinate plane.

## Identifying and Verifying Parallelograms


Given a parallelogram, you can use the Parallelogram Opposite Sides Theorem and the Parallelogram Opposite Angles Theorem to prove statements about the sides and angles of the parallelogram. The converses of the theorems are stated below. You can use these and other theorems in this lesson to prove that a quadrilateral with certain properties is a parallelogram.

# Theorems

## **Parallelogram Opposite Sides Converse**

If both pairs of opposite sides of a quadrilateral are congruent, then the quadrilateral is a parallelogram.

If  $\overline{AB} \cong \overline{CD}$  and  $\overline{BC} \cong \overline{DA}$ , then ABCD is a parallelogram.




## **Parallelogram Opposite Angles Converse**

If both pairs of opposite angles of a quadrilateral are congruent, then the quadrilateral is a parallelogram.

If  $\angle A \cong \angle C$  and  $\angle B \cong \angle D$ , then ABCD is a parallelogram.

Proof Ex. 39, p. 427



## **PROOF**

## **Parallelogram Opposite Sides Converse**

 $\overline{AB} \cong \overline{CD}, \overline{BC} \cong \overline{DA}$ Given

ABCD is a parallelogram. Prove

Plan for Proof

- **a.** Draw diagonal  $\overline{AC}$  to form  $\triangle ABC$  and  $\triangle CDA$ .
- **b.** Use the SSS Congruence Theorem to show that  $\triangle ABC \cong \triangle CDA$ .
- c. Use the Alternate Interior Angles Converse to show that opposite sides are parallel.

Plan
in
Action

## STATEMENTS

- **a.** 1.  $\overline{AB} \cong \overline{CD}$   $. \overline{BC} \cong \overline{DA}$ 
  - **2.** Draw  $\overline{AC}$ .
  - 3.  $\overline{AC} \cong \overline{CA}$
- **b. 4.**  $\triangle ABC \cong \triangle CDA$
- c. 5.  $\angle BAC \cong \angle DCA$ .  $\angle BCA \cong \angle DAC$ 
  - **6.**  $\overline{AB} \parallel \overline{CD}, \overline{BC} \parallel \overline{DA}$
  - **7.** *ABCD* is a parallelogram.

## REASONS


- 1. Given
- 2. Through any two points, there exists exactly one line.
- **3.** Reflexive Property of Congruence
- 4. SSS Congruence Theorem
- **5.** Corresponding parts of congruent triangles are congruent.
- **6.** Alternate Interior Angles Converse
- 7. Definition of parallelogram

420

## EXAMPLE 1

## **Identifying a Parallelogram**

An amusement park ride has a moving platform attached to four swinging arms. The platform swings back and forth, higher and higher, until it goes over the top and around in a circular motion. In the diagram below, AD and BC represent two of the swinging arms, and  $\overline{DC}$  is parallel to the ground (line  $\ell$ ). Explain why the moving platform AB is always parallel to the ground.



## **SOLUTION**

The shape of quadrilateral ABCD changes as the moving platform swings around, but its side lengths do not change. Both pairs of opposite sides are congruent, so ABCD is a parallelogram by the Parallelogram Opposite Sides Converse.

By the definition of a parallelogram,  $\overline{AB} \parallel \overline{DC}$ . Because  $\overline{DC}$  is parallel to line  $\ell$ ,  $\overline{AB}$ is also parallel to line  $\ell$  by the Transitive Property of Parallel Lines. So, the moving platform is parallel to the ground.



Monitoring Progress Help in English and Spanish at BigldeasMath.com

**1.** In quadrilateral WXYZ,  $m \angle W = 42^{\circ}$ ,  $m \angle X = 138^{\circ}$ , and  $m \angle Y = 42^{\circ}$ . Find  $m \angle Z$ . Is WXYZ a parallelogram? Explain your reasoning.

## **EXAMPLE 2** Finding Side Lengths of a Parallelogram

For what values of x and y is quadrilateral *PQRS* a parallelogram?



By the Parallelogram Opposite Sides Converse, if both pairs of opposite sides of a quadrilateral are congruent, then the quadrilateral is a parallelogram. Find x so that  $\overline{PQ} \cong \overline{SR}$ .

$$PQ = SR$$
 Set the segment lengths equal.  
 $x + 9 = 2x - 1$  Substitute  $x + 9$  for  $PQ$  and  $PQ$  substitute  $PQ$  and  $PQ$  are  $PQ$  and  $PQ$  and  $PQ$  are  $PQ$  and  $PQ$  and  $PQ$  are  $PQ$  are  $PQ$  and  $PQ$  are  $PQ$  are  $PQ$  are  $PQ$  and  $PQ$  are  $PQ$  are  $PQ$  are  $PQ$  and  $PQ$  are  $PQ$  are  $PQ$  are  $PQ$  are  $PQ$  and  $PQ$  are  $PQ$  are  $PQ$  are  $PQ$  are  $PQ$  are  $PQ$  and  $PQ$  are  $PQ$  and  $PQ$  are  $PQ$ 

$$10 = x$$
 Solve for x.

When x = 10, PQ = 10 + 9 = 19 and SR = 2(10) - 1 = 19. Find y so that  $\overline{PS} \cong \overline{QR}$ .

$$PS = QR$$
 Set the segment lengths equal.

$$y = x + 7$$
 Substitute y for PS and  $x + 7$  for QR.

$$y = 10 + 7$$
 Substitute 10 for x.

$$y = 17$$
 Add.

When x = 10 and y = 17, PS = 17 and QR = 10 + 7 = 17.

Quadrilateral *PQRS* is a parallelogram when x = 10 and y = 17.



Section 7.3


# **6** Theorems

## **Opposite Sides Parallel and Congruent Theorem**

If one pair of opposite sides of a quadrilateral are congruent and parallel, then the quadrilateral is a parallelogram.

If  $\overline{BC} \parallel \overline{AD}$  and  $\overline{BC} \cong \overline{AD}$ , then ABCD is a parallelogram.

Proof Ex. 40, p. 427




## **Parallelogram Diagonals Converse**

If the diagonals of a quadrilateral bisect each other, then the quadrilateral is a parallelogram.

If  $\overline{BD}$  and  $\overline{AC}$  bisect each other, then ABCD is a parallelogram.

Proof Ex. 41, p. 427



## **EXAMPLE 3** Identifying a Parallelogram

The doorway shown is part of a building in England. Over time, the building has leaned sideways. Explain how you know that SV = TU.

### **SOLUTION**

In the photograph,  $\overline{ST} \parallel \overline{UV}$  and  $\overline{ST} \cong \overline{UV}$ . By the Opposite Sides Parallel and Congruent Theorem, quadrilateral STUV is a parallelogram. By the Parallelogram Opposite Sides Theorem, you know that opposite sides of a parallelogram are congruent. So, SV = TU.




## **EXAMPLE 4** Finding Diagonal Lengths of a Parallelogram

For what value of *x* is quadrilateral *CDEF* a parallelogram?

### **SOLUTION**

By the Parallelogram Diagonals Converse, if the diagonals of *CDEF* bisect each other, then it is a parallelogram. You are given that  $\overline{CN} \cong \overline{EN}$ . Find x so that  $\overline{FN} \cong \overline{DN}$ .



$$FN = DN$$
 Set the segment lengths equal.  
 $5x - 8 = 3x$  Substitute  $5x - 8$  for  $FN$  and  $3x$  for  $DN$ .  
 $2x - 8 = 0$  Subtract  $3x$  from each side.  
 $2x = 8$  Add  $8$  to each side.  
 $x = 4$  Divide each side by  $2$ .


When x = 4, FN = 5(4) - 8 = 12 and DN = 3(4) = 12.

Quadrilateral *CDEF* is a parallelogram when x = 4.





Monitoring Progress Help in English and Spanish at BigldeasMath.com


**2.** For what values of x and y is quadrilateral ABCD a parallelogram? Explain your reasoning.




State the theorem you can use to show that the quadrilateral is a parallelogram.







**6.** For what value of x is quadrilateral MNPQ a parallelogram? Explain your reasoning.



# **Concept Summary**

## Ways to Prove a Quadrilateral Is a Parallelogram


1. Show that both pairs of opposite sides are parallel. ( <i>Definition</i> )	
2. Show that both pairs of opposite sides are congruent.  (Parallelogram Opposite Sides Converse)	
3. Show that both pairs of opposite angles are congruent.  (Parallelogram Opposite Angles Converse)	
4. Show that one pair of opposite sides are congruent and parallel.  (Opposite Sides Parallel and Congruent Theorem)	
5. Show that the diagonals bisect each other. (Parallelogram Diagonals Converse)	

## **Using Coordinate Geometry**

**EXAMPLE 5** 

Identifying a Parallelogram in the Coordinate Plane

Show that quadrilateral ABCD is a parallelogram.



**SOLUTION** 

Method 1 Show that a pair of sides are congruent and parallel. Then apply the Opposite Sides Parallel and Congruent Theorem.

First, use the Distance Formula to show that  $\overline{AB}$  and  $\overline{CD}$  are congruent.

$$AB = \sqrt{[2 - (-3)]^2 + (5 - 3)^2} = \sqrt{29}$$

$$CD = \sqrt{(5-0)^2 + (2-0)^2} = \sqrt{29}$$

Because 
$$AB = CD = \sqrt{29}$$
,  $\overline{AB} \cong \overline{CD}$ .

Then, use the slope formula to show that  $\overline{AB} \parallel \overline{CD}$ .

slope of 
$$\overline{AB} = \frac{5-3}{2-(-3)} = \frac{2}{5}$$

slope of 
$$\overline{CD} = \frac{2-0}{5-0} = \frac{2}{5}$$

Because  $\overline{AB}$  and  $\overline{CD}$  have the same slope, they are parallel.

 $\overline{AB}$  and  $\overline{CD}$  are congruent and parallel. So, ABCD is a parallelogram by the Opposite Sides Parallel and Congruent Theorem.

Show that opposite sides are congruent. Then apply the Parallelogram Method 2 Opposite Sides Converse. In Method 1, you already have shown that because  $AB = CD = \sqrt{29}$ ,  $\overline{AB} \cong \overline{CD}$ . Now find AD and BC.

$$AD = \sqrt{(-3-0)^2 + (3-0)^2} = 3\sqrt{2}$$

$$BC = \sqrt{(2-5)^2 + (5-2)^2} = 3\sqrt{2}$$

Because 
$$AD = BC = 3\sqrt{2}$$
,  $\overline{AD} \cong \overline{BC}$ .

 $\overline{AB} \cong \overline{CD}$  and  $\overline{AD} \cong \overline{BC}$ . So, ABCD is a parallelogram by the Parallelogram Opposite Sides Converse.

# Monitoring Progress Help in English and Spanish at BigldeasMath.com



- **7.** Show that quadrilateral *JKLM* is a parallelogram.
- **8.** Refer to the Concept Summary on page 423. Explain two other methods you can use to show that quadrilateral ABCD in Example 5 is a parallelogram.

## Vocabulary and Core Concept Check

- 1. WRITING A quadrilateral has four congruent sides. Is the quadrilateral a parallelogram? Justify your answer.
- 2. **DIFFERENT WORDS, SAME QUESTION** Which is different? Find "both" answers.

Construct a quadrilateral with opposite sides congruent.

Construct a quadrilateral with opposite angles congruent.

Construct a quadrilateral with one pair of parallel sides.

Construct a quadrilateral with one pair of opposite sides congruent and parallel.


## Monitoring Progress and Modeling with Mathematics

In Exercises 3-8, state which theorem you can use to show that the quadrilateral is a parallelogram. (See Examples 1 and 3.)


3.




4.




5.




6.




7.




8.




In Exercises 9–12, find the values of x and y that make the quadrilateral a parallelogram. (See Example 2.)




10.



11.





12.




In Exercises 13–16, find the value of x that makes the quadrilateral a parallelogram. (See Example 4.)


13.







16.




In Exercises 17-20, graph the quadrilateral with the given vertices in a coordinate plane. Then show that the quadrilateral is a parallelogram. (See Example 5.)

- **17.** A(0, 1), B(4, 4), C(12, 4), D(8, 1)
- **18.** E(-3, 0), F(-3, 4), G(3, -1), H(3, -5)
- **19.** J(-2,3), K(-5,7), L(3,6), M(6,2)
- **20.** N(-5,0), P(0,4), Q(3,0), R(-2,-4)


**ERROR ANALYSIS** In Exercises 21 and 22, describe and correct the error in identifying a parallelogram.

21.




DEFG is a parallelogram by the Parallelogram Opposite Sides Converse.


22.



**23. MATHEMATICAL CONNECTIONS** What value of *x* makes the quadrilateral a parallelogram? Explain how you found your answer.



**24. MAKING AN ARGUMENT** Your friend says you can show that quadrilateral *WXYZ* is a parallelogram by using the Consecutive Interior Angles Converse and the Opposite Sides Parallel and Congruent Theorem. Is your friend correct? Explain your reasoning.




ANALYZING RELATIONSHIPS In Exercises 25–27, write the indicated theorems as a biconditional statement.


- **25.** Parallelogram Opposite Sides Theorem and Parallelogram Opposite Sides Converse
- **26.** Parallelogram Opposite Angles Theorem and Parallelogram Opposite Angles Converse
- **27.** Parallelogram Diagonals Theorem and Parallelogram Diagonals Converse

- **28. CONSTRUCTION** Describe a method that uses the Opposite Sides Parallel and Congruent Theorem to construct a parallelogram. Then construct a parallelogram using your method.
- **29. REASONING** Follow the steps below to construct a parallelogram. Explain why this method works. State a theorem to support your answer.


**Step 1** Use a ruler to draw two segments that intersect at their midpoints.



**Step 2** Connect the endpoints of the segments to form a parallelogram.



**30. MAKING AN ARGUMENT** Your brother says to show that quadrilateral QRST is a parallelogram, you must show that  $\overline{QR} \parallel \overline{TS}$  and  $\overline{QT} \parallel \overline{RS}$ . Your sister says that you must show that  $\overline{QR} \cong \overline{TS}$  and  $\overline{QT} \cong \overline{RS}$ . Who is correct? Explain your reasoning.




REASONING In Exercises 31 and 32, your classmate incorrectly claims that the marked information can be used to show that the figure is a parallelogram. Draw a quadrilateral with the same marked properties that is clearly *not* a parallelogram.






**33. MODELING WITH MATHEMATICS** You shoot a pool ball, and it rolls back to where it started, as shown in the diagram. The ball bounces off each wall at the same angle at which it hits the wall.




- **a.** The ball hits the first wall at an angle of  $63^{\circ}$ . So  $m\angle AEF = m\angle BEH = 63^{\circ}$ . What is  $m\angle AFE$ ? Explain your reasoning.
- **b.** Explain why  $m \angle FGD = 63^{\circ}$ .
- **c.** What is  $m \angle GHC$ ?  $m \angle EHB$ ?
- **d.** Is quadrilateral *EFGH* a parallelogram? Explain your reasoning.
- **34. MODELING WITH MATHEMATICS** In the diagram of the parking lot shown,  $m \angle JKL = 60^{\circ}$ , JK = LM = 21 feet, and KL = JM = 9 feet.




- **a.** Explain how to show that parking space *JKLM* is a parallelogram.
- **b.** Find  $m \angle JML$ ,  $m \angle KJM$ , and  $m \angle KLM$ .
- **c.**  $\overline{LM} \parallel \overline{NO}$  and  $\overline{NO} \parallel \overline{PQ}$ . Which theorem could you use to show that  $\overline{JK} \parallel \overline{PQ}$ ?

**REASONING** In Exercises 35–37, describe how to prove that *ABCD* is a parallelogram.


35.



36.




**38. REASONING** Quadrilateral *JKLM* is a parallelogram. Describe how to prove that  $\triangle MGJ \cong \triangle KHL$ .



**39. PROVING A THEOREM** Prove the Parallelogram Opposite Angles Converse. (*Hint*: Let  $x^{\circ}$  represent  $m \angle A$  and  $m \angle C$ . Let  $y^{\circ}$  represent  $m \angle B$  and  $m \angle D$ . Write and simplify an equation involving x and y.)

Given  $\angle A \cong \angle C, \angle B \cong \angle D$ 


**Prove** *ABCD* is a parallelogram.



**40. PROVING A THEOREM** Use the diagram of *PQRS* with the auxiliary line segment drawn to prove the Opposite Sides Parallel and Congruent Theorem.

**Given**  $\overline{QR} \parallel \overline{PS}, \overline{QR} \cong \overline{PS}$ 


**Prove** *PQRS* is a parallelogram.



**41. PROVING A THEOREM** Prove the Parallelogram Diagonals Converse.

**Given** Diagonals  $\overline{JL}$  and  $\overline{KM}$  bisect each other.


**Prove** *JKLM* is a parallelogram.




**42. PROOF** Write a proof.

**Given** *DEBF* is a parallelogram. AE = CF


**Prove** *ABCD* is a parallelogram.



- **43. REASONING** Three interior angle measures of a quadrilateral are 67°, 67°, and 113°. Is this enough information to conclude that the quadrilateral is a parallelogram? Explain your reasoning.
- 44. HOW DO YOU SEE IT? A music stand can be folded up, as shown. In the diagrams, AEFD and EBCF are parallelograms. Which labeled segments remain parallel as the stand is folded?



**45. CRITICAL THINKING** In the diagram, *ABCD* is a parallelogram, BF = DE = 12, and CF = 8. Find AE. Explain your reasoning.



**46. THOUGHT PROVOKING** Create a regular hexagon using congruent parallelograms.


- **47. WRITING** The Parallelogram Consecutive Angles Theorem says that if a quadrilateral is a parallelogram, then its consecutive angles are supplementary. Write the converse of this theorem. Then write a plan for proving the converse. Include a diagram.
- **48. PROOF** Write a proof.

**Given** ABCD is a parallelogram.  $\angle A$  is a right angle.


**Prove**  $\angle B$ ,  $\angle C$ , and  $\angle D$  are right angles.



**49. ABSTRACT REASONING** The midpoints of the sides of a quadrilateral have been joined to form what looks like a parallelogram. Show that a quadrilateral formed by connecting the midpoints of the sides of any quadrilateral is always a parallelogram. (Hint: Draw a diagram. Include a diagonal of the larger quadrilateral. Show how two sides of the smaller quadrilateral relate to the diagonal.)



**50. CRITICAL THINKING** Show that if *ABCD* is a parallelogram with its diagonals intersecting at E, then you can connect the midpoints F, G, H, and Jof AE, BE, CE, and DE, respectively, to form another parallelogram, FGHJ.



## Maintaining Mathematical Proficiency Reviewing what you learned in previous grades and lessons

Classify the quadrilateral. (Skills Review Handbook)

