

10.1 Lines and Segments That Intersect Circles

Essential Question What are the definitions of the lines and segments that intersect a circle?

EXPLORATION 1 Lines and Line Segments That Intersect Circles

Work with a partner. The drawing at the right shows five lines or segments that intersect a circle. Use the relationships shown to write a definition for each type of line or segment. Then use the Internet or some other resource to verify your definitions.


Chord:

Secant:

Tangent:

Radius:


Diameter:



EXPLORATION 2 Using String to Draw a Circle

Work with a partner. Use two pencils, a piece of string, and a piece of paper.

- Tie the two ends of the piece of string loosely around the two pencils.
- Anchor one pencil on the paper at the center of the circle. Use the other pencil to draw a circle around the anchor point while using slight pressure to keep the string taut. Do not let the string wind around either pencil.



REASONING ABSTRACTLY

To be proficient in math, you need to know and flexibly use different properties of operations and objects.

- Explain how the distance between the two pencil points as you draw the circle is related to two of the lines or line segments you defined in Exploration 1.

Communicate Your Answer

- What are the definitions of the lines and segments that intersect a circle?
- Of the five types of lines and segments in Exploration 1, which one is a subset of another? Explain.
- Explain how to draw a circle with a diameter of 8 inches.

10.1 Lesson

Core Vocabulary

circle, p. 574
center, p. 574
radius, p. 574
chord, p. 574
diameter, p. 574
secant, p. 574
tangent, p. 574
point of tangency, p. 574
tangent circles, p. 575
concentric circles, p. 575
common tangent, p. 575

READING


The words “radius” and “diameter” refer to lengths as well as segments. For a given circle, think of a radius and a diameter as segments and the radius and the diameter as lengths.

What You Will Learn

- ▶ Identify special segments and lines.
- ▶ Draw and identify common tangents.
- ▶ Use properties of tangents.

Identifying Special Segments and Lines

A **circle** is the set of all points in a plane that are equidistant from a given point called the **center** of the circle. A circle with center P is called “circle P ” and can be written as $\odot P$.



circle P , or $\odot P$

Core Concept



Lines and Segments That Intersect Circles

A segment whose endpoints are the center and any point on a circle is a **radius**.

A **chord** is a segment whose endpoints are on a circle. A **diameter** is a chord that contains the center of the circle.


A **secant** is a line that intersects a circle in two points.

A **tangent** is a line in the plane of a circle that intersects the circle in exactly one point, the **point of tangency**. The *tangent ray* $\overrightarrow{AB}$ and the *tangent segment* $\overline{AB}$ are also called tangents.



EXAMPLE 1

Identifying Special Segments and Lines



Tell whether the line, ray, or segment is best described as a *radius*, *chord*, *diameter*, *secant*, or *tangent* of $\odot C$.

- | | |
|--------------------------|--------------------------|
| a. $\overline{AC}$ | b. $\overline{AB}$ |
| c. $\overrightarrow{DE}$ | d. $\overrightarrow{AE}$ |

SOLUTION

- $\overline{AC}$ is a radius because C is the center and A is a point on the circle.
- $\overline{AB}$ is a diameter because it is a chord that contains the center C .
- $\overrightarrow{DE}$ is a tangent ray because it is contained in a line that intersects the circle in exactly one point.
- $\overrightarrow{AE}$ is a secant because it is a line that intersects the circle in two points.

Monitoring Progress



Help in English and Spanish at BigIdeasMath.com

- In Example 1, what word best describes $\overline{AG}$? $\overline{CB}$?
- In Example 1, name a tangent and a tangent segment.

Drawing and Identifying Common Tangents


Core Concept

Coplanar Circles and Common Tangents


In a plane, two circles can intersect in two points, one point, or no points.

Coplanar circles that intersect in one point are called **tangent circles**. Coplanar circles that have a common center are called **concentric circles**.


2 points of intersection



1 point of intersection (tangent circles)



no points of intersection




A line or segment that is tangent to two coplanar circles is called a **common tangent**. A *common internal tangent* intersects the segment that joins the centers of the two circles. A *common external tangent* does not intersect the segment that joins the centers of the two circles.

EXAMPLE 2


Drawing and Identifying Common Tangents

Tell how many common tangents the circles have and draw them. Use blue to indicate common external tangents and red to indicate common internal tangents.


a.



b.




c.




SOLUTION

Draw the segment that joins the centers of the two circles. Then draw the common tangents. Use blue to indicate lines that do not intersect the segment joining the centers and red to indicate lines that intersect the segment joining the centers.


a. 4 common tangents



b. 3 common tangents



c. 2 common tangents




Monitoring Progress



Help in English and Spanish at BigIdeasMath.com

Tell how many common tangents the circles have and draw them. State whether the tangents are external tangents or internal tangents.


3.



4.



5.




Using Properties of Tangents

Theorems

Tangent Line to Circle Theorem

In a plane, a line is tangent to a circle if and only if the line is perpendicular to a radius of the circle at its endpoint on the circle.




Line m is tangent to $\odot Q$ if and only if $m \perp \overline{QP}$.

Proof Ex. 47, p. 580

External Tangent Congruence Theorem

Tangent segments from a common external point are congruent.




If $\overline{SR}$ and $\overline{ST}$ are tangent segments, then $\overline{SR} \cong \overline{ST}$.

Proof Ex. 46, p. 580

EXAMPLE 3

Verifying a Tangent to a Circle

Is $\overline{ST}$ tangent to $\odot P$?



SOLUTION


Use the Converse of the Pythagorean Theorem. Because $12^2 + 35^2 = 37^2$, $\triangle PTS$ is a right triangle and $\overline{ST} \perp \overline{PT}$. So, $\overline{ST}$ is perpendicular to a radius of $\odot P$ at its endpoint on $\odot P$.

► By the Tangent Line to Circle Theorem, $\overline{ST}$ is tangent to $\odot P$.

EXAMPLE 4

Finding the Radius of a Circle

In the diagram, point B is a point of tangency. Find the radius r of $\odot C$.



SOLUTION

You know from the Tangent Line to Circle Theorem that $\overline{AB} \perp \overline{BC}$, so $\triangle ABC$ is a right triangle. You can use the Pythagorean Theorem.

$$AC^2 = BC^2 + AB^2$$

Pythagorean Theorem

$$(r + 50)^2 = r^2 + 80^2$$

Substitute.

$$r^2 + 100r + 2500 = r^2 + 6400$$

Multiply.

$$100r = 3900$$

Subtract r^2 and 2500 from each side.

$$r = 39$$


Divide each side by 100.

► The radius is 39 feet.

CONSTRUCTION


Constructing a Tangent to a Circle

Given $\odot C$ and point A , construct a line tangent to $\odot C$ that passes through A . Use a compass and straightedge.



SOLUTION


Step 1



Find a midpoint

Draw $\overline{AC}$. Construct the bisector of the segment and label the midpoint M .


Step 2



Draw a circle

Construct $\odot M$ with radius MA . Label one of the points where $\odot M$ intersects $\odot C$ as point B .

Step 3




Construct a tangent line

Draw $\overleftrightarrow{AB}$. It is a tangent to $\odot C$ that passes through A .

EXAMPLE 5

Using Properties of Tangents

$\overline{RS}$ is tangent to $\odot C$ at S , and $\overline{RT}$ is tangent to $\odot C$ at T . Find the value of x .



SOLUTION

$$RS = RT$$

External Tangent Congruence Theorem

$$28 = 3x + 4$$

Substitute.

$$8 = x$$

Solve for x .


► The value of x is 8.

Monitoring Progress




Help in English and Spanish at BigIdeasMath.com


6. Is $\overline{DE}$ tangent to $\odot C$?



7. $\overline{ST}$ is tangent to $\odot Q$. Find the radius of $\odot Q$.



8. Points M and N are points of tangency. Find the value(s) of x .



10.1 Exercises

Dynamic Solutions available at BigIdeasMath.com

Vocabulary and Core Concept Check

- WRITING** How are chords and secants alike? How are they different?
- WRITING** Explain how you can determine from the context whether the words *radius* and *diameter* are referring to segments or lengths.
- COMPLETE THE SENTENCE** Coplanar circles that have a common center are called _____.
- WHICH ONE DOESN'T BELONG?** Which segment does *not* belong with the other three? Explain your reasoning.

chord

radius


tangent

diameter


Monitoring Progress and Modeling with Mathematics

In Exercises 5–10, use the diagram. (See Example 1.)



- Name the circle.
- Name two radii.
- Name two chords.
- Name a diameter.
- Name a secant.
- Name a tangent and a point of tangency.







In Exercises 11–14, copy the diagram. Tell how many common tangents the circles have and draw them. (See Example 2.)







In Exercises 15–18, tell whether the common tangent is *internal* or *external*.



In Exercises 19–22, tell whether $\overline{AB}$ is tangent to $\odot C$. Explain your reasoning. (See Example 3.)



In Exercises 23–26, point B is a point of tangency. Find the radius r of $\odot C$. (See Example 4.)







CONSTRUCTION In Exercises 27 and 28, construct $\odot C$ with the given radius and point A outside of $\odot C$. Then construct a line tangent to $\odot C$ that passes through A .


27. $r = 2$ in.

28. $r = 4.5$ cm


In Exercises 29–32, points B and D are points of tangency. Find the value(s) of x . (See Example 5.)



33. **ERROR ANALYSIS** Describe and correct the error in determining whether $\overline{XY}$ is tangent to $\odot Z$.




34. **ERROR ANALYSIS** Describe and correct the error in finding the radius of $\odot T$.



35. **ABSTRACT REASONING** For a point outside of a circle, how many lines exist tangent to the circle that pass through the point? How many such lines exist for a point on the circle? inside the circle? Explain your reasoning.

36. **CRITICAL THINKING** When will two lines tangent to the same circle not intersect? Justify your answer.

37. **USING STRUCTURE** Each side of quadrilateral $TVWX$ is tangent to $\odot Y$. Find the perimeter of the quadrilateral.




38. **LOGIC** In $\odot C$, radii $\overline{CA}$ and $\overline{CB}$ are perpendicular. $\overline{BD}$ and $\overline{AD}$ are tangent to $\odot C$.

- Sketch $\odot C$, $\overline{CA}$, $\overline{CB}$, $\overline{BD}$, and $\overline{AD}$.
- What type of quadrilateral is $CADB$? Explain your reasoning.

39. **MAKING AN ARGUMENT** Two bike paths are tangent to an approximately circular pond. Your class is building a nature trail that begins at the intersection B of the bike paths and runs between the bike paths and over a bridge through the center P of the pond. Your classmate uses the Converse of the Angle Bisector Theorem to conclude that the trail must bisect the angle formed by the bike paths. Is your classmate correct? Explain your reasoning.




40. **MODELING WITH MATHEMATICS** A bicycle chain is pulled tightly so that $\overline{MN}$ is a common tangent of the gears. Find the distance between the centers of the gears.




41. **WRITING** Explain why the diameter of a circle is the longest chord of the circle.


42. **HOW DO YOU SEE IT?** In the figure, $\overrightarrow{PA}$ is tangent to the dime, $\overrightarrow{PC}$ is tangent to the quarter, and $\overrightarrow{PB}$ is a common internal tangent. How do you know that $\overline{PA} \cong \overline{PB} \cong \overline{PC}$?




43. **PROOF** In the diagram, $\overline{RS}$ is a common internal tangent to $\odot A$ and $\odot B$. Prove that $\frac{AC}{BC} = \frac{RC}{SC}$.




44. **THOUGHT PROVOKING** A polygon is *circumscribed* about a circle when every side of the polygon is tangent to the circle. In the diagram, quadrilateral $ABCD$ is circumscribed about $\odot Q$. Is it always true that $AB + CD = AD + BC$? Justify your answer.



45. **MATHEMATICAL CONNECTIONS** Find the values of x and y . Justify your answer.




46. **PROVING A THEOREM** Prove the External Tangent Congruence Theorem.



Given $\overline{SR}$ and $\overline{ST}$ are tangent to $\odot P$.

Prove $\overline{SR} \cong \overline{ST}$

47. **PROVING A THEOREM** Use the diagram to prove each part of the biconditional in the Tangent Line to Circle Theorem.



- a. Prove indirectly that if a line is tangent to a circle, then it is perpendicular to a radius. (*Hint:* If you assume line m is not perpendicular to $\overline{QP}$, then the perpendicular segment from point Q to line m must intersect line m at some other point R .)

Given Line m is tangent to $\odot Q$ at point P .


Prove $m \perp \overline{QP}$

- b. Prove indirectly that if a line is perpendicular to a radius at its endpoint, then the line is tangent to the circle.

Given $m \perp \overline{QP}$

Prove Line m is tangent to $\odot Q$.

48. **REASONING** In the diagram, $AB = AC = 12$, $BC = 8$, and all three segments are tangent to $\odot P$. What is the radius of $\odot P$? Justify your answer.



Maintaining Mathematical Proficiency

Reviewing what you learned in previous grades and lessons

Determine whether the events are independent. (Section 5.2)

49. A pouch contains three blue marbles and two red marbles. You randomly select one marble from the pouch, set it aside, then randomly select another marble from the pouch. Use a sample space to determine whether selecting a blue marble first and selecting a red marble second are independent events.
50. One-half of a spinner is blue and the other half is red. Use a sample space to determine whether randomly spinning blue and then red are independent events.