


4 Writing Linear Functions

- 4.1 Writing Equations in Slope-Intercept Form
- 4.2 Writing Equations in Point-Slope Form
- 4.3 Writing Equations in Standard Form
- 4.4 Writing Equations of Parallel and Perpendicular Lines
- 4.5 Scatter Plots and Lines of Fit
- 4.6 Analyzing Lines of Fit
- 4.7 Arithmetic Sequences



Online Auction (p. 205)



Old Faithful Geyser (p. 196)



Helicopter Rescue (p. 182)



School Spirit (p. 170)




Renewable Energy (p. 164)

Mathematical Thinking: Mathematically proficient students can apply the mathematics they know to solve problems arising in everyday life, society, and the workplace.

Maintaining Mathematical Proficiency

Using a Coordinate Plane (6.11)

Example 1 What ordered pair corresponds to point A?



Point A is 3 units to the left of the origin and 2 units up. So, the x -coordinate is -3 and the y -coordinate is 2 .

► The ordered pair $(-3, 2)$ corresponds to point A.

Use the graph to answer the question.

1. What ordered pair corresponds to point G?
2. What ordered pair corresponds to point D?
3. Which point is located in Quadrant I?
4. Which point is located in Quadrant IV?

Rewriting Equations (A.12.E)

Example 2 Solve the equation $3x - 2y = 8$ for y .

$$\begin{aligned} 3x - 2y &= 8 && \text{Write the equation.} \\ 3x - 2y - 3x &= 8 - 3x && \text{Subtract } 3x \text{ from each side.} \\ -2y &= 8 - 3x && \text{Simplify.} \\ \frac{-2y}{-2} &= \frac{8 - 3x}{-2} && \text{Divide each side by } -2. \\ y &= -4 + \frac{3}{2}x && \text{Simplify.} \end{aligned}$$

Solve the equation for y .

5. $x - y = 5$
6. $6x + 3y = -1$
7. $0 = 2y - 8x + 10$
8. $-x + 4y - 28 = 0$
9. $2y + 1 - x = 7x$
10. $y - 4 = 3x + 5y$

11. **ABSTRACT REASONING** Both coordinates of the point (x, y) are multiplied by a negative number. How does this change the location of the point? Be sure to consider points originally located in all four quadrants.

Mathematical Thinking

Mathematically proficient students use a problem-solving model that incorporates analyzing given information, formulating a plan or strategy, determining a solution, justifying the solution, and evaluating the problem-solving process and the reasonableness of the solutions. (A.1.B)

Problem-Solving Strategies

Core Concept

Solve a Simpler Problem

When solving a real-life problem, if the numbers in the problem seem complicated, then try solving a simpler form of the problem. After you have solved the simpler problem, look for a general strategy. Then apply that strategy to the original problem.

EXAMPLE 1 Using a Problem-Solving Strategy

In the deli section of a grocery store, a half pound of sliced roast beef costs \$3.19. You buy 1.81 pounds. How much do you pay?

SOLUTION

Step 1 Solve a simpler problem.

Suppose the roast beef costs \$3 per half pound, and you buy 2 pounds.

$$\begin{aligned}\text{Total cost} &= \frac{\$3}{1/2 \text{ lb}} \cdot 2 \text{ lb} && \text{Use unit analysis to write a verbal model.} \\ &= \frac{\$6}{\cancel{1/2}} \cdot \cancel{2} && \text{Rewrite \$3 per } \frac{1}{2} \text{ pound as \$6 per pound.} \\ &= \$12 && \text{Simplify.}\end{aligned}$$

► In the simpler problem, you pay \$12.

Step 2 Apply the strategy to the original problem.

$$\begin{aligned}\text{Total cost} &= \frac{\$3.19}{1/2 \text{ lb}} \cdot 1.81 \text{ lb} && \text{Use unit analysis to write a verbal model.} \\ &= \frac{\$6.38}{\cancel{1/2}} \cdot \cancel{1.81} && \text{Rewrite \$3.19 per } \frac{1}{2} \text{ pound as \$6.38 per pound.} \\ &= \$11.55 && \text{Simplify.}\end{aligned}$$

► In the original problem, you pay \$11.55.

Your answer is reasonable because you bought about 2 pounds.

Monitoring Progress

1. You work $37\frac{1}{2}$ hours and earn \$352.50. What is your hourly wage?
2. You drive 1244.5 miles and use 47.5 gallons of gasoline. What is your car's gas mileage (in miles per gallon)?
3. You drive 236 miles in 4.6 hours. At the same rate, how long will it take you to drive 450 miles?

4.1

Writing Equations in Slope-Intercept Form



TEXAS ESSENTIAL
KNOWLEDGE AND SKILLS





A.2.B
A.2.C
A.3.A

Essential Question Given the graph of a linear function, how can you write an equation of the line?

EXPLORATION 1 Writing Equations in Slope-Intercept Form

Work with a partner.

- Find the slope and y-intercept of each line.
- Write an equation of each line in slope-intercept form.
- Use a graphing calculator to verify your equation.




EXPLAINING MATHEMATICAL IDEAS

To be proficient in math, you need to routinely interpret your results in the context of the situation. The reason for studying mathematics is to enable you to model and solve real-life problems.

EXPLORATION 2 Mathematical Modeling

Work with a partner. The graph shows the cost of a smartphone plan.

- What is the y-intercept of the line? Interpret the y-intercept in the context of the problem.
- Approximate the slope of the line. Interpret the slope in the context of the problem.
- Write an equation that represents the cost as a function of data usage.



Communicate Your Answer

- Given the graph of a linear function, how can you write an equation of the line?
- Give an example of a graph of a linear function that is different from those above. Then use the graph to write an equation of the line.

4.1 Lesson

Core Vocabulary

linear model, p. 164

Previous

slope-intercept form

function

rate

What You Will Learn

- ▶ Write equations in slope-intercept form.
- ▶ Use linear equations to solve real-life problems.

Writing Equations in Slope-Intercept Form

EXAMPLE 1 Using Slopes and y-Intercepts to Write Equations

Write an equation of each line with the given characteristics.

- a. slope = -3 ; y-intercept = $\frac{1}{2}$ b. slope = 4 ; passes through $(-2, 5)$

SOLUTION

a. $y = mx + b$

Write the slope-intercept form.

$$y = -3x + \frac{1}{2}$$

Substitute -3 for m and $\frac{1}{2}$ for b .

▶ An equation is $y = -3x + \frac{1}{2}$.

- b. Find the y-intercept.

$$y = mx + b$$

Write the slope-intercept form.

$$5 = 4(-2) + b$$

Substitute 4 for m , -2 for x , and 5 for y .

$$13 = b$$

Solve for b .

Write an equation.

$$y = mx + b$$

Write the slope-intercept form.


$$y = 4x + 13$$

Substitute 4 for m and 13 for b .

▶ An equation is $y = 4x + 13$.

EXAMPLE 2 Using a Graph to Write an Equation

Write an equation of the line in slope-intercept form.



STUDY TIP

You can use any two points on a line to find the slope.

SOLUTION

Find the slope and y-intercept.

$$\text{Let } (x_1, y_1) = (0, -3) \text{ and } (x_2, y_2) = (4, 3).$$

$$m = \frac{y_2 - y_1}{x_2 - x_1} = \frac{3 - (-3)}{4 - 0} = \frac{6}{4}, \text{ or } \frac{3}{2}$$

Because the line crosses the y-axis at $(0, -3)$, the y-intercept is -3 .

▶ So, the equation is $y = \frac{3}{2}x - 3$.

EXAMPLE 3**Using Points to Write Equations**

Write an equation of each line that passes through the given points.

a. $(-3, 5), (0, -1)$

b. $(0, -5), (8, -5)$

SOLUTION

a. Find the slope and y-intercept.

$$m = \frac{-1 - 5}{0 - (-3)} = -2$$

Because the line crosses the y-axis at $(0, -1)$, the y-intercept is -1 .

► So, an equation is $y = -2x - 1$.

b. Find the slope and y-intercept.

$$m = \frac{-5 - (-5)}{8 - 0} = 0$$

Because the line crosses the y-axis at $(0, -5)$, the y-intercept is -5 .

► So, an equation is $y = -5$.

REMEMBER

If f is a function and x is in its domain, then $f(x)$ represents the output of f corresponding to the input x .

EXAMPLE 4**Writing a Linear Function**

Write a linear function f with the values $f(0) = 10$ and $f(6) = 34$.

SOLUTION

Step 1 Write $f(0) = 10$ as $(0, 10)$ and $f(6) = 34$ as $(6, 34)$.

Step 2 Find the slope of the line that passes through $(0, 10)$ and $(6, 34)$.

$$m = \frac{34 - 10}{6 - 0} = \frac{24}{6}, \text{ or } 4$$

Step 3 Write an equation of the line. Because the line crosses the y-axis at $(0, 10)$, the y-intercept is 10.

$$y = mx + b$$

Write the slope-intercept form.

$$y = 4x + 10$$

Substitute 4 for m and 10 for b .

► A function is $f(x) = 4x + 10$.

Monitoring Progress



Help in English and Spanish at BigIdeasMath.com

Write an equation of the line with the given characteristics.

1. slope = 7; y-intercept = 2

2. slope = $\frac{1}{3}$; passes through $(6, 1)$

Write an equation of the line in slope-intercept form.



5. Write an equation of the line that passes through $(0, -2)$ and $(4, 10)$.

6. Write a linear function g with the values $g(0) = 9$ and $g(8) = 7$.

Solving Real-Life Problems

A **linear model** is a linear function that models a real-life situation. When a quantity y changes at a constant rate with respect to a quantity x , you can use the equation $y = mx + b$ to model the relationship. The value of m is the constant rate of change, and the value of b is the initial, or starting, value of y .

EXAMPLE 5 Modeling with Mathematics



Excluding hydropower, U.S. power plants used renewable energy sources to generate 105 million megawatt hours of electricity in 2007. By 2012, the amount of electricity generated had increased to 219 million megawatt hours. Write a linear model that represents the number of megawatt hours generated by non-hydropower renewable energy sources as a function of the number of years since 2007. Use the model to predict the number of megawatt hours that will be generated in 2017.

SOLUTION

- Understand the Problem** You know the amounts of electricity generated in two distinct years. You are asked to write a linear model that represents the amount of electricity generated each year since 2007 and then predict a future amount.
- Make a Plan** Break the problem into parts and solve each part. Then combine the results to help you solve the original problem.

Part 1 Define the variables. Find the initial value and the rate of change.

Part 2 Write a linear model and predict the amount in 2017.

3. Solve the Problem

Part 1 Let x represent the time (in years) since 2007 and let y represent the number of megawatt hours (in millions). Because time x is defined in years since 2007, 2007 corresponds to $x = 0$ and 2012 corresponds to $x = 5$. Let $(x_1, y_1) = (0, 105)$ and $(x_2, y_2) = (5, 219)$. The initial value is the y -intercept b , which is 105. The rate of change is the slope m .

$$m = \frac{y_2 - y_1}{x_2 - x_1} = \frac{219 - 105}{5 - 0} = \frac{114}{5} = 22.8$$

Part 2	Megawatt hours (millions)	=	Initial value	+	Rate of change	•	Years since 2007
	y	=	105	+	22.8	•	x

$$y = 105 + 22.8x$$

Write the equation.

2017 corresponds to $x = 10$. $\rightarrow y = 105 + 22.8(10)$ Substitute 10 for x .

$$y = 333$$

Simplify.

► The linear model is $y = 22.8x + 105$. The model predicts non-hydropower renewable energy sources will generate 333 million megawatt hours in 2017.

- Look Back** To check that your model is correct, verify that $(0, 105)$ and $(5, 219)$ are solutions of the equation.

Monitoring Progress



Help in English and Spanish at BigIdeasMath.com

- The corresponding data for electricity generated by hydropower are 248 million megawatt hours in 2007 and 277 million megawatt hours in 2012. Write a linear model that represents the number of megawatt hours generated by hydropower as a function of the number of years since 2007.

4.1 Exercises

Tutorial Help in English and Spanish at BigIdeasMath.com

Vocabulary and Core Concept Check

- COMPLETE THE SENTENCE** A linear function that models a real-life situation is called a _____.
- WRITING** Explain how you can use slope-intercept form to write an equation of a line given its slope and y-intercept.


Monitoring Progress and Modeling with Mathematics

In Exercises 3–8, write an equation of the line with the given characteristics. (See Example 1.)


- slope: 2
y-intercept: 9
- slope: 0
passes through: $(-3, 5)$
- slope: -3
passes through: $(2, -6)$
- slope: -7
y-intercept: 1
- slope: $\frac{2}{3}$
y-intercept: -8
- slope: $-\frac{3}{4}$
passes through: $(-8, 0)$

In Exercises 9–12, write an equation of the line in slope-intercept form. (See Example 2.)


9.




10.



11.



12.



In Exercises 13–18, write an equation of the line that passes through the given points. (See Example 3.)

- $(3, 1), (0, 10)$
- $(2, -4), (0, -4)$
- $(0, 5), (-1.5, 1)$
- $(2, 7), (0, -5)$
- $(-6, 0), (0, -24)$
- $(0, 3), (-5, 2.5)$

In Exercises 19–24, write a linear function f with the given values. (See Example 4.)

- $f(0) = 2, f(2) = 4$
- $f(0) = 7, f(3) = 1$
- $f(4) = -3, f(0) = -2$
- $f(5) = -1, f(0) = -5$
- $f(-2) = 6, f(0) = -4$
- $f(0) = 3, f(-6) = 3$

In Exercises 25 and 26, write a linear function f with the given values.

25.

x	$f(x)$
1	-1
0	1
-1	3

26.

x	$f(x)$
-4	-2
-2	-1
0	0

- ERROR ANALYSIS** Describe and correct the error in writing an equation of the line with a slope of 2 and a y-intercept of 7.




$$y = 7x + 2$$

- ERROR ANALYSIS** Describe and correct the error in writing an equation of the line shown.



$$\begin{aligned} \text{slope} &= \frac{1 - 4}{0 - 5} \\ &= \frac{-3}{-5} = \frac{3}{5} \\ y &= \frac{3}{5}x + 4 \end{aligned}$$



29. **MODELING WITH MATHEMATICS** In 1960, the world record for the men's mile was 3.91 minutes. In 1980, the record time was 3.81 minutes. (See Example 5.)

- Write a linear model that represents the world record (in minutes) for the men's mile as a function of the number of years since 1960.
- Use the model to estimate the record time in 2000 and predict the record time in 2020.


30. **MODELING WITH MATHEMATICS** A recording studio charges musicians an initial fee of \$50 to record an album. Studio time costs an additional \$75 per hour.

- Write a linear model that represents the total cost of recording an album as a function of studio time (in hours).
- Is it less expensive to purchase 12 hours of recording time at the studio or a \$750 music software program that you can use to record on your own computer? Explain.



31. **WRITING** A line passes through the points $(0, -2)$ and $(0, 5)$. Is it possible to write an equation of the line in slope-intercept form? Justify your answer.


32. **THOUGHT PROVOKING** Describe a real-life situation involving a linear function whose graph passes through the points.




33. **REASONING** Recall that the standard form of a linear equation is $Ax + By = C$. Rewrite this equation in slope-intercept form. Use your answer to find the slope and y-intercept of the graph of the equation $-6x + 5y = 9$.

34. **MAKING AN ARGUMENT** Your friend claims that given $f(0)$ and any other value of a linear function f , you can write an equation in slope-intercept form that represents the function. Your cousin disagrees, claiming that the two points could lie on a vertical line. Who is correct? Explain.

35. **ANALYZING A GRAPH** Line ℓ is a reflection in the x -axis of line k . Write an equation that represents line ℓ .



36. **HOW DO YOU SEE IT?** The graph shows the approximate U.S. box office revenues (in billions of dollars) from 2000 to 2012, where $x = 0$ represents the year 2000.



- Estimate the slope and y-intercept of the graph.
- Interpret your answers in part (a) in the context of the problem.
- How can you use your answers in part (a) to predict the U.S. box office revenue in 2018?

37. **ABSTRACT REASONING** Show that the equation of the line that passes through the points $(0, b)$ and $(1, b + m)$ is $y = mx + b$. Explain how you can be sure that the point $(-1, b - m)$ also lies on the line.

Maintaining Mathematical Proficiency

Reviewing what you learned in previous grades and lessons

Solve the equation. (Section 1.3)

38. $3(x - 15) = x + 11$

39. $2(3d + 3) = 7 + 6d$

40. $-5(4 - 3n) = 10(n - 2)$

Determine whether x and y show direct variation. If so, identify the constant of variation. (Section 3.6)

41. $y + 6x = 0$

42. $2y + 5x = 4$

43. $4y + x - 3 = 3$

4.2 Writing Equations in Point-Slope Form



TEXAS ESSENTIAL
KNOWLEDGE AND SKILLS

A.2.B
A.2.C
A.3.A


Essential Question How can you write an equation of a line when you are given the slope and a point on the line?

EXPLORATION 1 Writing Equations of Lines


Work with a partner.

- Sketch the line that has the given slope and passes through the given point.
- Find the y -intercept of the line.
- Write an equation of the line.

a. $m = \frac{1}{2}$




b. $m = -2$



EXPLORATION 2 Writing a Formula

Work with a partner.

The point (x_1, y_1) is a given point on a nonvertical line. The point (x, y) is any other point on the line. Write an equation that represents the slope m of the line. Then rewrite this equation by multiplying each side by the difference of the x -coordinates to obtain the **point-slope form** of a linear equation.



USING TECHNOLOGY


To be proficient in math, you need to understand the feasibility, appropriateness, and limitations of the technological tools at your disposal. For instance, in real-life situations such as the one given in Exploration 3, it may not be feasible to use a square viewing window on a graphing calculator.

EXPLORATION 3 Writing an Equation

Work with a partner.

For four months, you have saved \$25 per month. You now have \$175 in your savings account.

- Use your result from Exploration 2 to write an equation that represents the balance A after t months.
- Use a graphing calculator to verify your equation.



Communicate Your Answer

- How can you write an equation of a line when you are given the slope and a point on the line?
- Give an example of how to write an equation of a line when you are given the slope and a point on the line. Your example should be different from those above.

4.2 Lesson

Core Vocabulary

point-slope form, p. 168

Previous

slope-intercept form
function
linear model
rate

What You Will Learn

- Write an equation of a line given its slope and a point on the line.
- Write an equation of a line given two points on the line.
- Use linear equations to solve real-life problems.

Writing Equations of Lines in Point-Slope Form

Given a point on a line and the slope of the line, you can write an equation of the line. Consider the line that passes through $(2, 3)$ and has a slope of $\frac{1}{2}$. Let (x, y) be another point on the line where $x \neq 2$. You can write an equation relating x and y using the slope formula with $(x_1, y_1) = (2, 3)$ and $(x_2, y_2) = (x, y)$.

$$m = \frac{y_2 - y_1}{x_2 - x_1}$$

Write the slope formula.

$$\frac{1}{2} = \frac{y - 3}{x - 2}$$

Substitute values.

$$\frac{1}{2}(x - 2) = y - 3$$

Multiply each side by $(x - 2)$.

The equation in *point-slope form* is $y - 3 = \frac{1}{2}(x - 2)$.

Core Concept


Point-Slope Form

Words A linear equation written in the form $y - y_1 = m(x - x_1)$ is in **point-slope form**. The line passes through the point (x_1, y_1) , and the slope of the line is m .

passes through (x_1, y_1)

Algebra $y - y_1 = m(x - x_1)$

slope



EXAMPLE 1 Using Point-Slope Form

Identify the slope of the line $y + 2 = -3(x - 2)$. Then identify a point the line passes through.

SOLUTION

The equation is written in point-slope form, $y - y_1 = m(x - x_1)$, where $m = -3$, $x_1 = 2$, and $y_1 = -2$.

- So, the slope of the line is -3 , and the line passes through the point $(2, -2)$.

EXAMPLE 2 Using a Slope and a Point to Write an Equation

Write an equation in point-slope form of the line that passes through the point $(8, 3)$ and has a slope of $\frac{1}{4}$.

SOLUTION

$$y - y_1 = m(x - x_1)$$

Write the point-slope form.

$$y - 3 = \frac{1}{4}(x - 8)$$

Substitute $\frac{1}{4}$ for m , 8 for x_1 , and 3 for y_1 .

- The equation is $y - 3 = \frac{1}{4}(x - 8)$.

Monitoring Progress



Help in English and Spanish at BigIdeasMath.com

1. Identify the slope of the line $y - \frac{1}{2} = -2\left(x - \frac{1}{2}\right)$. Then identify a point the line passes through.

Write an equation in point-slope form of the line that passes through the given point and has the given slope.

2. $(3, -1); m = -2$

3. $(4, 0); m = -\frac{2}{3}$

Writing Equations of Lines Given Two Points

When you are given two points on a line, you can write an equation of the line using the following steps.

Step 1 Find the slope of the line.

Step 2 Use the slope and one of the points to write an equation of the line in point-slope form.

ANOTHER WAY

You can use either of the given points to write an equation of the line.

Use $m = -2$ and $(3, -2)$.

$$y - (-2) = -2(x - 3)$$


$$y + 2 = -2x + 6$$

$$y = -2x + 4$$

EXAMPLE 3

Using Two Points to Write an Equation

Write an equation in slope-intercept form of the line shown.



SOLUTION

Step 1 Find the slope of the line.

$$m = \frac{-2 - 2}{3 - 1} = \frac{-4}{2}, \text{ or } -2$$

Step 2 Use the slope $m = -2$ and the point $(1, 2)$ to write an equation of the line.

$$y - y_1 = m(x - x_1)$$

Write the point-slope form.

$$y - 2 = -2(x - 1)$$

Substitute -2 for m , 1 for x_1 , and 2 for y_1 .

$$y - 2 = -2x + 2$$

Distributive Property

$$y = -2x + 4$$

Write in slope-intercept form.

► The equation is $y = -2x + 4$.

EXAMPLE 4

Writing a Linear Function

Write a linear function f with the values $f(4) = -2$ and $f(12) = 10$.

SOLUTION

Note that you can rewrite $f(4) = -2$ as $(4, -2)$ and $f(12) = 10$ as $(12, 10)$.

Step 1 Find the slope of the line that passes through $(4, -2)$ and $(12, 10)$.

$$m = \frac{10 - (-2)}{12 - 4} = \frac{12}{8}, \text{ or } 1.5$$

Step 2 Use the slope $m = 1.5$ and the point $(12, 10)$ to write an equation of the line.

$$y - y_1 = m(x - x_1)$$

Write the point-slope form.

$$y - 10 = 1.5(x - 12)$$

Substitute 1.5 for m , 12 for x_1 , and 10 for y_1 .

$$y = 1.5x - 8$$

Write in slope-intercept form.

► A function is $f(x) = 1.5x - 8$.

Write an equation in slope-intercept form of the line that passes through the given points.

4. $(1, 4), (3, 10)$

5. $(-4, -1), (8, -4)$

Write a linear function g with the given values.

6. $g(2) = 3, g(6) = 5$

7. $g(-1) = 8, g(2) = -1$

Solving Real-Life Problems

EXAMPLE 5 Modeling with Mathematics



The student council is ordering customized foam hands to promote school spirit. The table shows the cost of ordering different numbers of foam hands. Can the situation be modeled by a linear equation? Explain. If possible, write a linear model that represents the cost as a function of the number of foam hands.

Number of foam hands	4	6	8	10	12
Cost (dollars)	34	46	58	70	82

SOLUTION

Step 1 Find the rate of change for consecutive data pairs in the table.

$$\frac{46 - 34}{6 - 4} = 6, \frac{58 - 46}{8 - 6} = 6, \frac{70 - 58}{10 - 8} = 6, \frac{82 - 70}{12 - 10} = 6$$

Because the rate of change is constant, the data are linear. So, use the point-slope form to write an equation that represents the data.

Step 2 Use the constant rate of change (slope) $m = 6$ and the data pair $(4, 34)$ to write an equation. Let C be the cost (in dollars) and n be the number of foam hands.

$$C - C_1 = m(n - n_1)$$

Write the point-slope form.

$$C - 34 = 6(n - 4)$$

Substitute 6 for m , 4 for n_1 , and 34 for C_1 .

$$C = 6n + 10$$

Write in slope-intercept form.

► Because the cost increases at a constant rate, the situation can be modeled by a linear equation. The linear model is $C = 6n + 10$.

Number of months	Total cost (dollars)
3	176
6	302
9	428
12	554

8. You pay an installation fee and a monthly fee for Internet service. The table shows the total cost for different numbers of months. Can the situation be modeled by a linear equation? Explain. If possible, write a linear model that represents the total cost as a function of the number of months.

4.2 Exercises

Tutorial Help in English and Spanish at BigIdeasMath.com

Vocabulary and Core Concept Check

- USING STRUCTURE** Without simplifying, identify the slope of the line given by the equation $y - 5 = -2(x + 5)$. Then identify one point on the line.
- WRITING** Explain how you can use the slope formula to write an equation of the line that passes through $(3, -2)$ and has a slope of 4.

Monitoring Progress and Modeling with Mathematics





In Exercises 3–6, identify the slope of the line. Then identify a point the line passes through. (See Example 1.)

- $y - 4 = \frac{2}{3}(x - 9)$
- $y - 1 = -6(x - 3)$
- $y - 10 = -8\left(x + \frac{1}{4}\right)$
- $y + 6 = \frac{3}{5}x$

In Exercises 7–14, write an equation in point-slope form of the line that passes through the given point and has the given slope. (See Example 2.)

- $(2, 1); m = 2$
- $(3, 5); m = -1$
- $(7, -4); m = -6$
- $(-8, -2); m = 5$
- $(9, 0); m = -3$
- $(0, 2); m = 4$
- $(-6, 6); m = \frac{3}{2}$
- $(5, -12); m = -\frac{2}{5}$

In Exercises 15–18, write an equation in slope-intercept form of the line shown. (See Example 3.)



In Exercises 19–24, write an equation in slope-intercept form of the line that passes through the given points.

- $(7, 2), (2, 12)$
- $(6, -2), (12, 1)$

21. $(6, -1), (3, -7)$

22. $(-2, 5), (-4, -5)$

23. $(1, -9), (-3, -9)$

24. $(-5, 19), (5, 13)$

In Exercises 25–30, write a linear function f with the given values. (See Example 4.)

25. $f(2) = -2, f(1) = 1$

26. $f(5) = 7, f(-2) = 0$

27. $f(-4) = 2, f(6) = -3$

28. $f(-10) = 4, f(-2) = 4$

29. $f(-3) = 1, f(13) = 5$

30. $f(-9) = 10, f(-1) = -2$

In Exercises 31–34, tell whether the data in the table can be modeled by a linear equation. Explain. If possible, write a linear equation that represents y as a function of x . (See Example 5.)

31.

x	2	4	6	8	10
y	-1	5	15	29	47

32.

x	-3	-1	1	3	5
y	16	10	4	-2	-8

33.

x	y
0	1.2
1	1.4
2	1.6
4	2

34.

x	y
1	18
2	15
4	12
8	9

35. **ERROR ANALYSIS** Describe and correct the error in writing an equation of the line that passes through the point $(1, -5)$ and has a slope of -2 .



$$y - y_1 = m(x - x_1)$$

$$y - 5 = -2(x - 1)$$

36. **ERROR ANALYSIS** Describe and correct the error in writing an equation of the line that passes through the points (1, 2) and (4, 3).



$$m = \frac{3-2}{4-1} = \frac{1}{3} \quad y-2 = \frac{1}{3}(x-4)$$

37. **MODELING WITH MATHEMATICS** You are designing a sticker to advertise your band. A company charges \$225 for the first 1000 stickers and \$80 for each additional 1000 stickers.

- Write an equation that represents the total cost (in dollars) of the stickers as a function of the number (in thousands) of stickers ordered.
- Find the total cost of 9000 stickers.

38. **MODELING WITH MATHEMATICS** You pay a processing fee and a daily fee to rent a beach house. The table shows the total cost of renting the beach house for different numbers of days.

Days	2	4	6	8
Total cost (dollars)	246	450	654	858


- Can the situation be modeled by a linear equation? Explain.
- What is the processing fee? the daily fee?
- You can spend no more than \$1200 on the beach house rental. What is the maximum number of days you can rent the beach house?

39. **WRITING** Describe two ways to graph the equation $y - 1 = \frac{3}{2}(x - 4)$.

40. **THOUGHT PROVOKING** The graph of a linear function passes through the point (12, -5) and has a slope of $\frac{2}{5}$. Represent this function in two other ways.

41. **REASONING** You are writing an equation of the line that passes through two points that are not on the y-axis. Would you use slope-intercept form or point-slope form to write the equation? Explain.


42. **HOW DO YOU SEE IT?** The graph shows two points that lie on the graph of a linear function.



- Does the y-intercept of the graph of the linear function appear to be positive or negative? Explain.
- Estimate the coordinates of the two points. How can you use your estimates to confirm your answer in part (a)?

43. **CONNECTION TO TRANSFORMATIONS** Compare the graph of $y = 2x$ to the graph of $y - 1 = 2(x + 3)$. Make a conjecture about the graphs of $y = mx$ and $y - k = m(x - h)$.

44. **COMPARING FUNCTIONS** Three siblings each receive money for a holiday and then spend it at a constant weekly rate. The graph describes Sibling A's spending, the table describes Sibling B's spending, and the equation $y = -22.5x + 90$ describes Sibling C's spending. The variable y represents the amount of money left after x weeks.



Week, x	Money left, y
1	\$100
2	\$75
3	\$50
4	\$25

- Which sibling received the most money? the least money?
- Which sibling spends money at the fastest rate? the slowest rate?
- Which sibling runs out of money first? last?

Maintaining Mathematical Proficiency

Reviewing what you learned in previous grades and lessons

Use intercepts to graph the linear equation. (Section 3.4)

45. $-4x + 2y = 16$

46. $3x + 5y = -15$

47. $x - 6y = 24$

48. $-7x - 2y = -21$

4.3 Writing Equations in Standard Form



TEXAS ESSENTIAL
KNOWLEDGE AND SKILLS

A.2.B
A.2.C
A.3.A

Essential Question How can you write the equation of a line in standard form?

EXPLORATION 1 Writing Equations in Standard Form

Work with a partner. So far you have written equations of lines in slope-intercept form and point-slope form. Linear equations can also be written in standard form, $Ax + By = C$. Write each equation in standard form.

a. $y = 3x - 5$

The equation is in slope-intercept form.

Subtract $3x$ from each side.

The equation in standard form is .

b. $y - 4 = -2(x + 6)$

The equation is in slope-intercept form.

Distributive Property

Add $2x$ to each side.

Add 4 to each side.

The equation in standard form is .

c. $y = 4x + 2$

d. $y = -x - 7$

e. $y - 1 = 3(x + 4)$

f. $y + 8 = -4(x - 3)$

EXPLORATION 2 Finding the Slope and y-Intercept

Work with a partner. The slope and y-intercept of a line are not explicitly known from a linear equation written in standard form. Find the slope and y-intercept of the line represented by each equation.

a. $-6x + 3y = -15$

The equation is in standard form.

Add $6x$ to each side.

Divide each side by 3.

The slope is , and the y-intercept is .

b. $5x - 10y = -40$

c. $-6x - 8y = 56$

MAKING MATHEMATICAL ARGUMENTS

To be proficient in math, you need to justify your conclusions and communicate them to others.

Communicate Your Answer

- How can you write the equation of a line in standard form?
- How can you find the slope and y-intercept of a line given the equation of the line in standard form?
- Consider the graph of $Ax + By = C$.
 - Does changing the value of A change the slope? Does changing the value of B change the slope? Explain your reasoning.
 - Does changing the value of A change the y-intercept? Does changing the value of B change the y-intercept? Explain your reasoning.

4.3 Lesson

Core Vocabulary

Previous

standard form
equivalent equation
point-slope form

REMEMBER

You can produce an equivalent equation by multiplying or dividing each side of an equation by the same nonzero number.

What You Will Learn

- Write equations in standard form.
- Use linear equations to solve real-life problems.

Writing Equations in Standard Form

Recall that the linear equation $Ax + By = C$ is in standard form, where A , B , and C are real numbers and A and B are not both zero. All linear equations can be written in standard form.

EXAMPLE 1 Writing Equivalent Equations in Standard Form

Write two equations in standard form that are equivalent to $2x - 6y = 4$.

SOLUTION

To write one equivalent equation, multiply each side of the original equation by 2.

$$2(2x - 6y) = 2(4) \quad \Rightarrow \quad 4x - 12y = 8$$

To write another equivalent equation, divide each side of the original equation by 2.

$$\frac{2x - 6y}{2} = \frac{4}{2} \quad \Rightarrow \quad x - 3y = 2$$

EXAMPLE 2 Using Two Points to Write an Equation

Write an equation in standard form of the line shown.

SOLUTION

Step 1 Find the slope of the line.

$$m = \frac{1 - (-2)}{1 - 2} = \frac{3}{-1}, \text{ or } -3$$

Step 2 Use the slope $m = -3$ and the point $(1, 1)$ to write an equation in point-slope form.

$$y - y_1 = m(x - x_1)$$

$$y - 1 = -3(x - 1)$$


Step 3 Write the equation in standard form.

$$y - 1 = -3(x - 1)$$

$$y - 1 = -3x + 3$$

$$3x + y - 1 = 3$$

$$3x + y = 4$$



Write the point-slope form.

Substitute -3 for m , 1 for x_1 , and 1 for y_1 .

Write the equation.

Distributive Property

Add $3x$ to each side.

Add 1 to each side.

► An equation is $3x + y = 4$.

ANOTHER WAY

You can use either of the given points to write an equation of the line.

Use $m = -3$ and $(2, -2)$.

$$y - (-2) = -3(x - 2)$$

$$y + 2 = -3x + 6$$

$$3x + y + 2 = 6$$

$$3x + y = 4$$

Monitoring Progress



Help in English and Spanish at BigIdeasMath.com

- Write two equations in standard form that are equivalent to $x - y = 3$.
- Write an equation in standard form of the line that passes through $(3, -1)$ and $(2, -3)$.

Recall that equations of horizontal lines have the form $y = b$ and equations of vertical lines have the form $x = a$. You cannot write an equation of a vertical line in slope-intercept form or point-slope form because the slope of a vertical line is undefined. However, you can write an equation of a vertical line in standard form.

EXAMPLE 3 Horizontal and Vertical Lines

Write an equation of the specified line.

a. blue line

b. red line


SOLUTION

a. The y -coordinate of the given point on the blue line is -4 . This means that all points on the line have a y -coordinate of -4 .

► So, an equation of the line is $y = -4$.


b. The x -coordinate of the given point on the red line is 4 . This means that all points on the line have an x -coordinate of 4 .

► So, an equation of the line is $x = 4$.



ANOTHER WAY

Using the slope-intercept form to find an equation of the horizontal line gives you $y = 0x - 4$, or $y = -4$.



EXAMPLE 4 Completing an Equation in Standard Form

Find the missing coefficient in the equation of the line shown. Write the completed equation.

SOLUTION

Step 1 Find the value of A . Substitute the coordinates of the given point for x and y in the equation. Then solve for A .

$$Ax + 3y = 2$$

Write the equation.

$$A(-1) + 3(0) = 2$$

Substitute -1 for x and 0 for y .

$$-A = 2$$

Simplify.

$$A = -2$$

Divide each side by -1 .

Step 2 Complete the equation.

$$-2x + 3y = 2$$

Substitute -2 for A .

► An equation is $-2x + 3y = 2$.

Monitoring Progress



Help in English and Spanish at BigIdeasMath.com

Write equations of the horizontal and vertical lines that pass through the given point.

3. $(-8, -9)$

4. $(13, -5)$

Find the missing coefficient in the equation of the line that passes through the given point. Write the completed equation.

5. $-4x + By = 7; (-1, 1)$

6. $Ax + y = -3; (2, 11)$

Solving Real-Life Problems

EXAMPLE 5 Modeling with Mathematics

Your class is taking a trip to the public library. You can travel in small and large vans. A small van holds 8 people, and a large van holds 12 people. Your class can fill 15 small vans and 2 large vans.



- Write an equation in standard form that models the possible combinations of small and large vans that your class can fill.
- Graph the equation from part (a).
- Find four possible combinations.

SOLUTION

- Write a verbal model. Then write an equation.

Capacity of small van	•	Number of small vans	+	Capacity of large van	•	Number of large vans	=	People on trip
8	•	s	+	12	•	ℓ	=	p

Because your class can fill 15 small vans and 2 large vans, use (15, 2) to find the value of p .

$$8s + 12\ell = p \quad \text{Write the equation.}$$

$$8(15) + 12(2) = p \quad \text{Substitute 15 for } s \text{ and 2 for } \ell.$$

$$144 = p \quad \text{Simplify.}$$

► So, the equation $8s + 12\ell = 144$ models the possible combinations.

- Use intercepts to graph the equation.

Find the intercepts.

Substitute 0 for s .

$$8(0) + 12\ell = 144$$

$$\ell = 12$$


Substitute 0 for ℓ .

$$8s + 12(0) = 144$$

$$s = 18$$

Plot the points (0, 12) and (18, 0).

Connect them with a line segment. For this problem, only whole-number values of s and ℓ make sense.



- The graph passes through (0, 12), (6, 8), (12, 4), and (18, 0). So, four possible combinations are 0 small and 12 large, 6 small and 8 large, 12 small and 4 large, and 18 small and 0 large.

ANOTHER WAY

Another way to find possible combinations is to substitute values for s or ℓ in the equation and solve for the other variable.

Monitoring Progress



Help in English and Spanish at [BigIdeasMath.com](https://www.BigIdeasMath.com)

- WHAT IF?** Eight students decide to not go on the class trip. Write an equation in standard form that models the possible combinations of small and large vans that your class can fill. Find four possible combinations.

4.3 Exercises

Vocabulary and Core Concept Check

- WRITING** Explain how to write an equation in standard form of a line when two points on the line are given.
- WHICH ONE DOESN'T BELONG?** Which equation does *not* belong with the other three? Explain your reasoning.

$$-3x + 8y = 1$$

$$y = 5x - 9$$

$$6x - 2y = 1$$

$$x + y = 4$$

Monitoring Progress and Modeling with Mathematics





In Exercises 3–8, write two equations in standard form that are equivalent to the given equation. (See Example 1.)

- $x + y = -10$
- $5x + 10y = 15$
- $-x + 2y = 9$
- $-9x - 12y = 6$
- $9x - 3y = -12$
- $-2x + 4y = -5$

In Exercises 9–14, write an equation in standard form of the line that passes through the given point and has the given slope.

- $(-3, 2); m = 1$
- $(4, -1); m = 3$
- $(0, 5); m = -2$
- $(-8, 0); m = -4$
- $(-4, -4); m = -\frac{3}{2}$
- $(-6, -10); m = \frac{1}{6}$





In Exercises 15–18, write an equation in standard form of the line shown. (See Example 2.)



In Exercises 19–22, write equations of the horizontal and vertical lines that pass through the given point. (See Example 3.)

- $(2, 3)$
- $(-5, -4)$
- $(8, -1)$
- $(-6, 2)$

In Exercises 23–26, find the missing coefficient in the equation of the line shown. Write the completed equation. (See Example 4.)



27. **ERROR ANALYSIS** Describe and correct the error in finding the value of A for the equation $Ax - 3y = 5$, when the graph of the equation passes through the point $(1, -4)$.



$$A(-4) - 3(1) = 5$$

$$-4A = 8$$

$$A = -2$$

28. MAKING AN ARGUMENT Your friend says that you can write an equation of a horizontal line in standard form but not in slope-intercept form or point-slope form. Is your friend correct? Explain.

29. MODELING WITH MATHEMATICS The diagram shows the prices of two types of ground cover plants. A gardener can afford to buy 125 vinca plants and 60 phlox plants. (See Example 5.)



- Write an equation in standard form that models the possible combinations of vinca and phlox plants the gardener can afford to buy.
- Graph the equation from part (a).
- Find four possible combinations.


30. MODELING WITH MATHEMATICS One bus ride costs \$0.75. One subway ride costs \$1. A monthly pass for unlimited bus and subway rides costs the same as 36 bus rides plus 36 subway rides.

- Write an equation in standard form that models the possible combinations of bus and subway rides with the same total cost as the pass.
- Graph the equation from part (a).
- You ride the bus 60 times in one month. How many times must you ride the subway for the total cost of the rides to equal the cost of the pass? Explain your reasoning.

31. WRITING There are three forms of an equation of a line: *slope-intercept*, *point-slope*, and *standard* form. Which form would you prefer to use to do each of the following? Explain.

- Graph the equation.
- Find the x -intercept of the graph of the equation.
- Write an equation of the line given two points on the line.


32. HOW DO YOU SEE IT? A dog kennel charges \$25 per night to board your dog. The kennel also sells dog treats for \$5 each. The graph shows the possible combinations of nights at the kennel and treats that you can buy for \$100.



- List two possible combinations.
- Interpret the intercepts of the graph.

33. ABSTRACT REASONING Write an equation in standard form of the line that passes through $(a, 0)$ and $(0, b)$, where $a \neq 0$ and $b \neq 0$.

34. THOUGHT PROVOKING Use the graph shown.



- What are the signs of B and C when A is positive? when A is negative?
- Explain how to change the equation so that the graph is reflected in the x -axis.
- Explain how to change the equation so that the graph is translated horizontally.

35. MATHEMATICAL CONNECTIONS Write an equation in standard form that models the possible lengths and widths (in feet) of a rectangle with the same perimeter as a rectangle that is 10 feet wide and 20 feet long. Make a table that shows five possible lengths and widths of the rectangle.

Maintaining Mathematical Proficiency

Reviewing what you learned in previous grades and lessons

Write the reciprocal of the number. (*Skills Review Handbook*)

36. 5

37. -8

38. $-\frac{2}{7}$

39. $\frac{3}{2}$

4.4 Writing Equations of Parallel and Perpendicular Lines



TEXAS ESSENTIAL
KNOWLEDGE AND SKILLS

A.2.C
A.2.E
A.2.F
A.2.G
A.3.A

SELECTING TOOLS

To be proficient in math, you need to use a graphing calculator and other available technological tools, as appropriate, to help you explore relationships and deepen your understanding of concepts.



Essential Question How can you recognize lines that are parallel or perpendicular?

EXPLORATION 1 Recognizing Parallel Lines

Work with a partner. Write each linear equation in slope-intercept form. Then use a graphing calculator to graph the three equations in the same square viewing window. (The graph of the first equation is shown.) Which two lines appear parallel? How can you tell?

a. $3x + 4y = 6$
 $3x + 4y = 12$
 $4x + 3y = 12$

b. $5x + 2y = 6$
 $2x + y = 3$
 $2.5x + y = 5$





EXPLORATION 2 Recognizing Perpendicular Lines

Work with a partner. Write each linear equation in slope-intercept form. Then use a graphing calculator to graph the three equations in the same square viewing window. (The graph of the first equation is shown.) Which two lines appear perpendicular? How can you tell?

a. $3x + 4y = 6$
 $3x - 4y = 12$
 $4x - 3y = 12$

b. $2x + 5y = 10$
 $-2x + y = 3$
 $2.5x - y = 5$



Communicate Your Answer

- How can you recognize lines that are parallel or perpendicular?
- Compare the slopes of the lines in Exploration 1. How can you use slope to determine whether two lines are parallel? Explain your reasoning.
- Compare the slopes of the lines in Exploration 2. How can you use slope to determine whether two lines are perpendicular? Explain your reasoning.

4.4 Lesson

Core Vocabulary

parallel lines, p. 180
perpendicular lines, p. 181

Previous
reciprocal

READING

The phrase “*A if and only if B*” is a way of writing two conditional statements at once. It means that if *A* is true, then *B* is true. It also means that if *B* is true, then *A* is true.

What You Will Learn

- ▶ Identify and write equations of parallel lines.
- ▶ Identify and write equations of perpendicular lines.

Identifying and Writing Equations of Parallel Lines

Core Concept

Parallel Lines and Slopes

Two lines in the same plane that never intersect are **parallel lines**. Nonvertical lines are parallel if and only if they have the same slope.

All vertical lines are parallel.

EXAMPLE 1 Identifying Parallel Lines

Determine which of the lines are parallel.


SOLUTION

Find the slope of each line.

$$\text{Line } a: m = \frac{2 - 3}{1 - (-4)} = -\frac{1}{5}$$

$$\text{Line } b: m = \frac{-1 - 0}{1 - (-3)} = -\frac{1}{4}$$

$$\text{Line } c: m = \frac{-5 - (-4)}{2 - (-3)} = -\frac{1}{5}$$



- ▶ Lines *a* and *c* have the same slope, so they are parallel.

EXAMPLE 2 Writing an Equation of a Parallel Line

Write an equation of the line that passes through (5, -4) and is parallel to the line $y = 2x + 3$.

SOLUTION

Step 1 Find the slope of the parallel line. The graph of the given equation has a slope of 2. So, the parallel line that passes through (5, -4) also has a slope of 2.

Step 2 Use the slope-intercept form to find the y-intercept of the parallel line.

$$y = mx + b$$

Write the slope-intercept form.

$$-4 = 2(5) + b$$

Substitute 2 for *m*, 5 for *x*, and -4 for *y*.

$$-14 = b$$

Solve for *b*.

- ▶ Using $m = 2$ and $b = -14$, an equation of the parallel line is $y = 2x - 14$.

ANOTHER WAY

You can also use the slope $m = 2$ and the point-slope form to write an equation of the line that passes through (5, -4).

$$y - y_1 = m(x - x_1)$$

$$y - (-4) = 2(x - 5)$$

$$y = 2x - 14$$

Monitoring Progress



Help in English and Spanish at BigIdeasMath.com

1. Line *a* passes through (-5, 3) and (-6, -1). Line *b* passes through (3, -2) and (2, -7). Are the lines parallel? Explain.
2. Write an equation of the line that passes through (-4, 2) and is parallel to the line $y = \frac{1}{4}x + 1$.

Identifying and Writing Equations of Perpendicular Lines

REMEMBER

The product of a nonzero number m and its negative reciprocal is -1 :


$$m\left(-\frac{1}{m}\right) = -1.$$

Core Concept

Perpendicular Lines and Slopes

Two lines in the same plane that intersect to form right angles are **perpendicular lines**. Nonvertical lines are perpendicular if and only if their slopes are negative reciprocals.

Vertical lines are perpendicular to horizontal lines.



EXAMPLE 3

Identifying Parallel and Perpendicular Lines

Determine which of the lines, if any, are parallel or perpendicular.

Line a : $y = 4x + 2$

Line b : $x + 4y = 3$

Line c : $-8y - 2x = 16$

SOLUTION

Write the equations in slope-intercept form. Then compare the slopes.

Line a : $y = 4x + 2$

Line b : $y = -\frac{1}{4}x + \frac{3}{4}$

Line c : $y = -\frac{1}{4}x - 2$

► Lines b and c have slopes of $-\frac{1}{4}$, so they are parallel. Line a has a slope of 4 , the negative reciprocal of $-\frac{1}{4}$, so it is perpendicular to lines b and c .

EXAMPLE 4

Writing an Equation of a Perpendicular Line

Write an equation of the line that passes through $(-3, 1)$ and is perpendicular to the line $y = \frac{1}{2}x + 3$.

SOLUTION

Step 1 Find the slope of the perpendicular line. The graph of the given equation has a slope of $\frac{1}{2}$. Because the slopes of perpendicular lines are negative reciprocals, the slope of the perpendicular line that passes through $(-3, 1)$ is -2 .

Step 2 Use the slope $m = -2$ and the point-slope form to write an equation of the perpendicular line that passes through $(-3, 1)$.

$$y - y_1 = m(x - x_1)$$

Write the point-slope form.

$$y - 1 = -2[x - (-3)]$$

Substitute -2 for m , -3 for x_1 , and 1 for y_1 .

$$y - 1 = -2x - 6$$

Simplify.

$$y = -2x - 5$$

Write in slope-intercept form.

► An equation of the perpendicular line is $y = -2x - 5$.

ANOTHER WAY

You can also use the slope $m = -2$ and the slope-intercept form to write an equation of the line that passes through $(-3, 1)$.

$$y = mx + b$$

$$1 = -2(-3) + b$$

$$-5 = b$$

$$\text{So, } y = -2x - 5.$$

Monitoring Progress



Help in English and Spanish at BigIdeasMath.com

3. Determine which of the lines, if any, are parallel or perpendicular. Explain.

Line a : $2x + 6y = -3$

Line b : $y = 3x - 8$

Line c : $-6y + 18x = 9$

4. Write an equation of the line that passes through $(-3, 5)$ and is perpendicular to the line $y = -3x - 1$.

REMEMBER

The slope of a horizontal line is 0. The slope of a vertical line is undefined.

EXAMPLE 5 Horizontal and Vertical Lines

Write an equation of a line that is (a) parallel to the x -axis and (b) perpendicular to the x -axis. What is the slope of each line?

SOLUTION

- a. The x -axis (the line $y = 0$) is a horizontal line and has a slope of 0. All horizontal lines are parallel. Equations of horizontal lines have the form $y = b$, where b is a constant. Let b equal any number other than 0, such as 5.

► An equation of a line parallel to the x -axis is $y = 5$. The slope of the line is 0.


- b. The x -axis is a horizontal line. Vertical lines are perpendicular to horizontal lines. The slope of a vertical line is undefined. Equations of vertical lines have the form $x = a$, where a is a constant. Let a equal any number, such as 2.

► An equation of a line perpendicular to the x -axis is $x = 2$. The slope of the line is undefined.

EXAMPLE 6 Writing an Equation of a Perpendicular Line



The position of a helicopter search and rescue crew is shown in the graph. The shortest flight path to the shoreline is one that is perpendicular to the shoreline. Write an equation that represents this path.



SOLUTION

- Step 1** Find the slope of the line that represents the shoreline. The line passes through points (1, 3) and (4, 1). So, the slope is

$$m = \frac{1 - 3}{4 - 1} = -\frac{2}{3}.$$

Because the shoreline and shortest flight path are perpendicular, the slopes of their respective graphs are negative reciprocals. So, the slope of the graph of the shortest flight path is $\frac{3}{2}$.

- Step 2** Use the slope $m = \frac{3}{2}$ and the point-slope form to write an equation of the shortest flight path that passes through (14, 4).

$$y - y_1 = m(x - x_1)$$

Write the point-slope form.

$$y - 4 = \frac{3}{2}(x - 14)$$

Substitute $\frac{3}{2}$ for m , 14 for x_1 , and 4 for y_1 .

$$y - 4 = \frac{3}{2}x - 21$$

Distributive Property

$$y = \frac{3}{2}x - 17$$

Write in slope-intercept form.

- An equation that represents the shortest flight path is $y = \frac{3}{2}x - 17$.

Monitoring Progress



Help in English and Spanish at BigIdeasMath.com

- Write an equation of a line that is (a) parallel to the line $x = 3$ and (b) perpendicular to the line $x = 3$. What is the slope of each line?
- WHAT IF?** In Example 6, a boat is traveling perpendicular to the shoreline and passes through (9, 3). Write an equation that represents the path of the boat.

4.4 Exercises


Tutorial Help in English and Spanish at BigIdeasMath.com

Vocabulary and Core Concept Check

- COMPLETE THE SENTENCE** Nonvertical _____ lines have the same slope.
- VOCABULARY** Two lines are perpendicular. The slope of one line is $-\frac{5}{7}$. What is the slope of the other line? Justify your answer.

Monitoring Progress and Modeling with Mathematics

In Exercises 3–8, determine which of the lines, if any, are parallel. Explain. (See Example 1.)




- Line a passes through $(-1, -2)$ and $(1, 0)$.
Line b passes through $(4, 2)$ and $(2, -2)$.
Line c passes through $(0, 2)$ and $(-1, 1)$.
- Line a passes through $(-1, 3)$ and $(1, 9)$.
Line b passes through $(-2, 12)$ and $(-1, 14)$.
Line c passes through $(3, 8)$ and $(6, 10)$.
- Line a : $4y + x = 8$
Line b : $2y + x = 4$
Line c : $2y = -3x + 6$
- Line a : $3y - x = 6$
Line b : $3y = x + 18$
Line c : $3y - 2x = 9$

In Exercises 9–12, write an equation of the line that passes through the given point and is parallel to the given line. (See Example 2.)

- $(-1, 3)$; $y = 2x + 2$
- $(1, 2)$; $y = -5x + 4$
- $(18, 2)$; $3y - x = -12$
- $(2, -5)$; $2y = 3x + 10$

In Exercises 13–18, determine which of the lines, if any, are parallel or perpendicular. Explain. (See Example 3.)



- Line a passes through $(-2, 1)$ and $(0, 3)$.
Line b passes through $(4, 1)$ and $(6, 4)$.
Line c passes through $(1, 3)$ and $(4, 1)$.
- Line a passes through $(2, 10)$ and $(4, 13)$.
Line b passes through $(4, 9)$ and $(6, 12)$.
Line c passes through $(2, 10)$ and $(4, 9)$.
- Line a : $4x - 3y = 2$
Line b : $y = \frac{4}{3}x + 2$
Line c : $4y + 3x = 4$
- Line a : $y = 6x - 2$
Line b : $6y = -x$
Line c : $y + 6x = 1$

In Exercises 19–22, write an equation of the line that passes through the given point and is perpendicular to the given line. (See Example 4.)

- $(7, 10)$; $y = \frac{1}{2}x - 9$
- $(-4, -1)$; $y = \frac{4}{3}x + 6$
- $(-3, 3)$; $2y = 8x - 6$
- $(8, 1)$; $2y + 4x = 12$

In Exercises 23–26, write an equation of a line that is (a) parallel to the given line and (b) perpendicular to the given line. (See Example 5.)

- the y -axis
- $x = -4$
- $y = -2$
- $y = 7$

- ERROR ANALYSIS** Describe and correct the error in writing an equation of the line that passes through $(1, 3)$ and is parallel to the line $y = \frac{1}{4}x + 2$.



$$\begin{aligned} y - y_1 &= m(x - x_1) \\ y - 3 &= -4(x - 1) \\ y - 3 &= -4x + 4 \\ y &= -4x + 7 \end{aligned}$$

28. **ERROR ANALYSIS** Describe and correct the error in writing an equation of the line that passes through $(4, -5)$ and is perpendicular to the line $y = \frac{1}{3}x + 5$.

X


$$y - y_1 = m(x - x_1)$$

$$y - (-5) = 3(x - 4)$$


$$y + 5 = 3x - 12$$

$$y = 3x - 17$$

29. **MODELING WITH MATHEMATICS** A city water department is proposing the construction of a new water pipe, as shown. The new pipe will be perpendicular to the old pipe. Write an equation that represents the new pipe. (See Example 6.)




30. **MODELING WITH MATHEMATICS** A parks and recreation department is constructing a new bike path. The path will be parallel to the railroad tracks shown and pass through the parking area at the point $(4, 5)$. Write an equation that represents the path.




31. **MATHEMATICAL CONNECTIONS** The vertices of a quadrilateral are $A(2, 2)$, $B(6, 4)$, $C(8, 10)$, and $D(4, 8)$.
- Is quadrilateral $ABCD$ a parallelogram? Explain.
 - Is quadrilateral $ABCD$ a rectangle? Explain.
32. **USING STRUCTURE** For what value of a are the graphs of $6y = -2x + 4$ and $2y = ax - 5$ parallel? perpendicular?

33. **MAKING AN ARGUMENT**

A hockey puck leaves the blade of a hockey stick, bounces off a wall, and travels in a new direction, as shown. Your friend claims the path of the puck forms a right angle. Is your friend correct? Explain.



34. **HOW DO YOU SEE IT?** A softball academy charges students an initial registration fee plus a monthly fee. The graph shows the total amounts paid by two students over a 4-month period. The lines are parallel.



- Did one of the students pay a greater registration fee? Explain.
- Did one of the students pay a greater monthly fee? Explain.

REASONING In Exercises 35–37, determine whether the statement is *always*, *sometimes*, or *never* true. Explain your reasoning.

- Two lines with positive slopes are perpendicular.
- A vertical line is parallel to the y -axis.
- Two lines with the same y -intercept are perpendicular.

38. **THOUGHT PROVOKING** You are designing a new logo for your math club. Your teacher asks you to include at least one pair of parallel lines and at least one pair of perpendicular lines. Sketch your logo in a coordinate plane. Write the equations of the parallel and perpendicular lines.

Maintaining Mathematical Proficiency

Reviewing what you learned in previous grades and lessons

Determine whether the relation is a function. Explain. (Section 3.1)

39. $(3, 6), (4, 8), (5, 10), (6, 9), (7, 14)$

40. $(-1, 6), (1, 4), (-1, 2), (1, 6), (-1, 5)$

4.1–4.4 What Did You Learn?

Core Vocabulary

linear model, *p. 164*
point-slope form, *p. 168*

parallel lines, *p. 180*
perpendicular lines, *p. 181*

Core Concepts

Section 4.1

Using Slope-Intercept Form, *p. 162*

Section 4.2

Using Point-Slope Form, *p. 168*

Section 4.3

Writing Equations in Standard Form, *p. 174*

Section 4.4

Parallel Lines and Slopes, *p. 180*
Perpendicular Lines and Slopes, *p. 181*

Mathematical Thinking

1. How can you explain to yourself the meaning of the graph in Exercise 36 on page 166?
2. How did you use the structure of the equations in Exercise 43 on page 172 to make a conjecture?
3. How did you use the diagram in Exercise 33 on page 184 to determine whether your friend was correct?

Study Skills

Getting Actively Involved in Class

If you do not understand something at all and do not even know how to phrase a question, just ask for clarification. You might say something like, "Could you please explain the steps in this problem one more time?"

If your teacher asks for someone to go up to the board, volunteer. The student at the board often receives additional attention and instruction to complete the problem.



4.1–4.4 Quiz

Write an equation in slope-intercept form of the line with the given characteristics. (Section 4.1)

1. passes through: $(0, -2)$ and $(1, 3)$
2. slope: $-\frac{1}{3}$; passes through: $(3, 4)$
3. slope: 2; y-intercept: 3

Write an equation in point-slope form of the line that passes through the given points. (Section 4.2)

4. $(-2, 5), (1, -1)$
5. $(-3, -2), (2, -1)$
6. $(1, 0), (4, 4)$

Write a linear function f with the given values. (Section 4.1 and Section 4.2)

7. $f(0) = 2, f(5) = -3$
8. $f(-1) = -6, f(4) = -6$
9. $f(-3) = -2, f(-2) = 3$




Write an equation in standard form of the line with the given characteristics. (Section 4.3)

10. passes through: $(3, 0)$ and $(5, 4)$
11. slope: -1 ; passes through: $(-2, -7)$
12. passes through: $(3, 4)$ and $(3, 1)$
13. slope: 0; passes through: $(4, -1)$

Determine which of the lines, if any, are parallel or perpendicular. Explain. (Section 4.4)

14. Line a passes through $(-2, 2)$ and $(2, 1)$.
Line b passes through $(1, -8)$ and $(3, 0)$.
Line c passes through $(-4, -3)$ and $(0, -2)$.
15. Line $a: 2x + 6y = -12$
Line $b: y = \frac{3}{2}x - 5$
Line $c: 3x - 2y = -4$

Write an equation of the line that passes through the given point and is (a) parallel to the given line and (b) perpendicular to the given line. (Section 4.4)



19. A website hosting company charges an initial fee of \$48 to set up a website. The company charges \$44 per month to maintain the website. (Section 4.1)

- a. Write a linear model that represents the total cost of setting up and maintaining a website as a function of the number of months it is maintained.
 - b. Find the total cost of setting up a website and maintaining it for 6 months.
 - c. A different website hosting company charges \$62 per month to maintain a website, but there is no initial set-up fee. You have \$620. At which company can you set up and maintain a website for the greatest amount of time? Explain.
20. The table shows the amount of water remaining in a water tank as it drains. Can the situation be modeled by a linear equation? Explain. If possible, write a linear model that represents the amount of water remaining in the tank as a function of time. (Section 4.2)
21. You have \$10 on a copy store gift card. The copy store charges \$0.10 for each black-and-white copy and \$0.50 for each color copy. (a) Write an equation in standard form that models the possible combinations of copies you can buy. (b) Graph the equation from part (a). (c) Find four possible combinations. (Section 4.3)

Time (minutes)	Water (gallons)
8	155
10	150
12	145
14	140
16	135

4.5 Scatter Plots and Lines of Fit



TEXAS ESSENTIAL
KNOWLEDGE AND SKILLS
A.4.C

Essential Question How can you use a scatter plot and a line of fit to make conclusions about data?

A **scatter plot** is a graph that shows the relationship between two data sets. The two data sets are graphed as ordered pairs in a coordinate plane.


EXPLORATION 1 Finding a Line of Fit

Work with a partner. A survey was taken of 179 married couples. Each person was asked his or her age. The scatter plot shows the results.

- Draw a line that approximates the data. Write an equation of the line. Explain the method you used.
- What conclusions can you make from the equation you wrote? Explain your reasoning.

REASONING


To be proficient in math, you need to make sense of quantities and their relationships in problem situations.



EXPLORATION 2 Finding a Line of Fit

Work with a partner. The scatter plot shows the median ages of American women at their first marriage for selected years from 1960 through 2010.

- Draw a line that approximates the data. Write an equation of the line. Let x represent the number of years since 1960. Explain the method you used.
- What conclusions can you make from the equation you wrote?
- Use your equation to predict the median age of American women at their first marriage in the year 2020.



Communicate Your Answer

- How can you use a scatter plot and a line of fit to make conclusions about data?
- Use the Internet or some other reference to find a scatter plot of real-life data that is different from those given above. Then draw a line that approximates the data and write an equation of the line. Explain the method you used.

4.5 Lesson

Core Vocabulary

scatter plot, p. 188

correlation, p. 189

line of fit, p. 190

What You Will Learn

- ▶ Interpret scatter plots.
- ▶ Identify correlations between data sets.
- ▶ Use lines of fit to model data.


Interpreting Scatter Plots

Core Concept

Scatter Plot

A **scatter plot** is a graph that shows the relationship between two data sets. The two data sets are graphed as ordered pairs in a coordinate plane. Scatter plots can show trends in the data.

EXAMPLE 1 Interpreting a Scatter Plot




The scatter plot shows the amounts x (in grams) of sugar and the numbers y of calories in 10 smoothies.

- How many calories are in the smoothie that contains 56 grams of sugar?
- How many grams of sugar are in the smoothie that contains 320 calories?
- What tends to happen to the number of calories as the number of grams of sugar increases?

SOLUTION

- Draw a horizontal line from the point that has an x -value of 56. It crosses the y -axis at 270.
 - ▶ So, the smoothie has 270 calories.
- Draw a vertical line from the point that has a y -value of 320. It crosses the x -axis at 70.
 - ▶ So, the smoothie has 70 grams of sugar.
- Looking at the graph, the plotted points go up from left to right.
 - ▶ So, as the number of grams of sugar increases, the number of calories increases.



Monitoring Progress



Help in English and Spanish at [BigIdeasMath.com](https://www.BigIdeasMath.com)

- How many calories are in the smoothie that contains 51 grams of sugar?
- How many grams of sugar are in the smoothie that contains 250 calories?


STUDY TIP

You can think of a positive correlation as having a positive slope and a negative correlation as having a negative slope.

Identifying Correlations between Data Sets


A **correlation** is a relationship between data sets. You can use a scatter plot to describe the correlation between data.

Positive Correlation




As x increases, y increases.

Negative Correlation



As x increases, y decreases.

No Correlation



The points show no pattern.



EXAMPLE 2

Identifying Correlations

Tell whether the data show a *positive*, a *negative*, or *no* correlation.

a. age and vehicles owned

b. temperature and coat sales at a store



SOLUTION

a. The points show no pattern. The number of vehicles owned does not depend on a person's age.

► So, the scatter plot shows no correlation.

b. As the average temperature increases, the number of coats sold decreases.

► So, the scatter plot shows a negative correlation.

Monitoring Progress



Help in English and Spanish at BigIdeasMath.com

Make a scatter plot of the data. Tell whether the data show a *positive*, a *negative*, or *no* correlation.

3.	Temperature (°F), x	82	78	68	87	75	71	92	84
	Attendees (thousands), y	4.5	4.0	1.7	5.5	3.8	2.9	4.7	5.3

4.	Age of a car (years), x	1	2	3	4	5	6	7	8
	Value (thousands), y	\$24	\$21	\$19	\$18	\$15	\$12	\$8	\$7

Using Lines of Fit to Model Data

When data show a positive or negative correlation, you can model the *trend* in the data using a line of fit. A **line of fit** is a line drawn on a scatter plot that is close to most of the data points.

STUDY TIP

A line of fit is also called a *trend line*.

Core Concept

Using a Line of Fit to Model Data

- Step 1** Make a scatter plot of the data.
- Step 2** Decide whether the data can be modeled by a line.
- Step 3** Draw a line that appears to fit the data closely. There should be approximately as many points above the line as below it.
- Step 4** Write an equation using two points on the line. The points do not have to represent actual data pairs, but they must lie on the line of fit.

EXAMPLE 3 Finding a Line of Fit

The table shows the weekly sales of a DVD and the number of weeks since its release. Write an equation that models the DVD sales as a function of the number of weeks since its release. Interpret the slope and y-intercept of the line of fit.

Week, x	1	2	3	4	5	6	7	8
Sales (millions), y	\$19	\$15	\$13	\$11	\$10	\$8	\$7	\$5

SOLUTION

- Step 1** Make a scatter plot of the data.
- Step 2** Decide whether the data can be modeled by a line. Because the scatter plot shows a negative correlation, you can fit a line to the data.
- Step 3** Draw a line that appears to fit the data closely.
- Step 4** Write an equation using two points on the line. Use (5, 10) and (6, 8).

$$\text{The slope of the line is } m = \frac{8 - 10}{6 - 5} = -2.$$


Use the slope $m = -2$ and the point (6, 8) to write an equation of the line.

$$y - y_1 = m(x - x_1) \quad \text{Write the point-slope form.}$$

$$y - 8 = -2(x - 6) \quad \text{Substitute } -2 \text{ for } m, 6 \text{ for } x_1, \text{ and } 8 \text{ for } y_1.$$

$$y = -2x + 20 \quad \text{Solve for } y.$$

- An equation of the line of fit is $y = -2x + 20$. The slope of the line is -2 . This means the sales are decreasing by about \$2 million each week. The y-intercept is 20. The y-intercept has no meaning in this context because there are no sales in week 0.



Monitoring Progress Help in English and Spanish at BigIdeasMath.com

5. The following data pairs show the monthly income x (in dollars) and the monthly car payment y (in dollars) of six people: (2100, 410), (1650, 315), (1950, 405), (1500, 295), (2250, 440), and (1800, 375). Write an equation that models the monthly car payment as a function of the monthly income. Interpret the slope and y-intercept of the line of fit.

4.5 Exercises

Tutorial Help in English and Spanish at BigIdeasMath.com


Vocabulary and Core Concept Check

- COMPLETE THE SENTENCE** When data show a positive correlation, the dependent variable tends to _____ as the independent variable increases.
- VOCABULARY** What is a line of fit?


Monitoring Progress and Modeling with Mathematics

In Exercises 3–6, use the scatter plot to fill in the missing coordinate of the ordered pair.

- (16,)
- (3,)
- (, 12)
- (, 17)




- INTERPRETING A SCATTER PLOT** The scatter plot shows the hard drive capacities (in gigabytes) and the prices (in dollars) of 10 laptops. (See Example 1.)







- What is the price of the laptop with a hard drive capacity of 8 gigabytes?
- What is the hard drive capacity of the \$1200 laptop?
- What tends to happen to the price as the hard drive capacity increases?

- INTERPRETING A SCATTER PLOT** The scatter plot shows the earned run averages and the winning percentages of eight pitchers on a baseball team.



- What is the winning percentage of the pitcher with an earned run average of 4.2?
- What is the earned run average of the pitcher with a winning percentage of 0.33?
- What tends to happen to the winning percentage as the earned run average increases?

In Exercises 9–12, tell whether x and y show a *positive*, a *negative*, or *no* correlation. (See Example 2.)



In Exercises 13 and 14, make a scatter plot of the data. Tell whether x and y show a *positive*, a *negative*, or *no* correlation.

13.

x	3.1	2.2	2.5	3.7	3.9	1.5	2.7	2.0
y	1	0	1	2	0	2	3	2

14.

x	3	4	5	6	7	8	9	10
y	67	67	50	33	25	21	19	4

15. **MODELING WITH MATHEMATICS** The table shows the world birth rates y (number of births per 1000 people) x years since 1960. (See Example 3.)

x	0	10	20	30	40	50
y	35.4	33.6	28.3	27.0	22.4	20.0

- Write an equation that models the birthrate as a function of the number of years since 1960.
- Interpret the slope and y -intercept of the line of fit.

16. **MODELING WITH MATHEMATICS** The table shows the total earnings y (in dollars) of a food server who works x hours.

x	0	1	2	3	4	5	6
y	0	18	40	62	77	85	113

- Write an equation that models the server's earnings as a function of the number of hours the server works.
 - Interpret the slope and y -intercept of the line of fit.
17. **OPEN-ENDED** Give an example of a real-life data set that shows a negative correlation.
18. **MAKING AN ARGUMENT** Your friend says that the data in the table show a negative correlation because the dependent variable y is decreasing. Is your friend correct? Explain.

x	14	12	10	8	6	4	2
y	4	1	0	-1	-2	-4	-5


19. **USING TOOLS** Use a ruler or a yardstick to find the heights and arm spans of five people.

- Make a scatter plot using the data you collected. Then draw a line of fit for the data.
- Interpret the slope and y -intercept of the line of fit.

20. **THOUGHT PROVOKING** A line of fit for a scatter plot is given by the equation $y = 5x + 20$. Describe a real-life data set that could be represented by the scatter plot.

21. **WRITING** When is data best displayed in a scatter plot, rather than another type of display, such as a bar graph or circle graph?

22. **HOW DO YOU SEE IT?** The scatter plot shows part of a data set and a line of fit for the data set. Four data points are missing. Choose possible coordinates for these data points.



23. **REASONING** A data set has no correlation. Is it possible to find a line of fit for the data? Explain.

24. **ANALYZING RELATIONSHIPS** Make a scatter plot of the data in the tables. Describe the relationship between the variables. Is it possible to fit a line to the data? If so, write an equation of the line. If not, explain why.

x	-12	-9	-7	-4	-3	-1
y	150	76	50	15	10	1

x	2	5	6	7	9	15
y	5	22	37	52	90	226

Maintaining Mathematical Proficiency

Reviewing what you learned in previous grades and lessons

Evaluate the function when $x = -3, 0$, and 4 . (Section 3.3)

25. $g(x) = 6x$

26. $h(x) = -10x$

27. $f(x) = 5x - 8$

28. $v(x) = 14 - 3x$

4.6 Analyzing Lines of Fit



TEXAS ESSENTIAL KNOWLEDGE AND SKILLS


A.4.A
A.4.B
A.4.C

Essential Question How can you *analytically* find a line of best fit for a scatter plot?

EXPLORATION 1 Finding a Line of Best Fit

Work with a partner.

The scatter plot shows the median ages of American women at their first marriage for selected years from 1960 through 2010. In Exploration 2 in Section 4.5, you approximated a line of fit graphically. To find the line of *best* fit, you can use a computer, spreadsheet, or graphing calculator that has a *linear regression* feature.



- The data from the scatter plot is shown in the table. Note that 0, 5, 10, and so on represent the numbers of years since 1960. What does the ordered pair (25, 23.3) represent?
- Use the *linear regression* feature to find an equation of the line of best fit. You should obtain results such as those shown below.

L1	L2	L3
0	20.3	
5	20.6	
10	20.8	
15	21.1	
20	22	
25	23.3	
30	23.9	
35	24.5	
40	25.1	
45	25.3	
50	26.1	

L1(55)=		

```
LinReg
y=ax+b
a=.1261818182
b=19.84545455
r2=.9738676804
r=.986847344
```

MAKING MATHEMATICAL ARGUMENTS

To be proficient in math, you need to reason inductively about data.

- Write an equation of the line of best fit. Compare your result with the equation you obtained in Exploration 2 in Section 4.5.

Communicate Your Answer

- How can you *analytically* find a line of best fit for a scatter plot?
- The data set relates the number of chirps per second for striped ground crickets and the outside temperature in degrees Fahrenheit. Make a scatter plot of the data. Then find an equation of the line of best fit. Use your result to estimate the outside temperature when there are 19 chirps per second.

Chirps per second	20.0	16.0	19.8	18.4	17.1
Temperature (°F)	88.6	71.6	93.3	84.3	80.6

Chirps per second	14.7	15.4	16.2	15.0	14.4
Temperature (°F)	69.7	69.4	83.3	79.6	76.3

4.6 Lesson

Core Vocabulary

residual, p. 194
 linear regression, p. 195
 line of best fit, p. 195
 correlation coefficient, p. 195
 interpolation, p. 197
 extrapolation, p. 197
 causation, p. 197

What You Will Learn

- ▶ Use residuals to determine how well lines of fit model data.
- ▶ Use technology to find lines of best fit.
- ▶ Distinguish between correlation and causation.

Analyzing Residuals


One way to determine how well a line of fit models a data set is to analyze *residuals*.

Core Concept

Residuals

A **residual** is the difference of the y -value of a data point and the corresponding y -value found using the line of fit. A residual can be positive, negative, or zero.

A scatter plot of the residuals shows how well a model fits a data set. If the model is a good fit, then the absolute values of the residuals are relatively small, and the residual points will be more or less evenly dispersed about the horizontal axis. If the model is not a good fit, then the residual points will form some type of pattern that suggests the data are not linear. Wildly scattered residual points suggest that the data might have no correlation.



EXAMPLE 1 Using Residuals

In Example 3 in Section 4.5, the equation $y = -2x + 20$ models the data in the table shown. Is the model a good fit?


SOLUTION

Step 1 Calculate the residuals. Organize your results in a table.

Step 2 Use the points $(x, \text{residual})$ to make a scatter plot.

Week, x	Sales (millions), y
1	\$19
2	\$15
3	\$13
4	\$11
5	\$10
6	\$8
7	\$7
8	\$5

x	y	y -Value from model	Residual
1	19	18	$19 - 18 = 1$
2	15	16	$15 - 16 = -1$
3	13	14	$13 - 14 = -1$
4	11	12	$11 - 12 = -1$
5	10	10	$10 - 10 = 0$
6	8	8	$8 - 8 = 0$
7	7	6	$7 - 6 = 1$
8	5	4	$5 - 4 = 1$



- ▶ The points are evenly dispersed about the horizontal axis. So, the equation $y = -2x + 20$ is a good fit.

EXAMPLE 2 Using Residuals

The table shows the ages x and salaries y (in thousands of dollars) of eight employees at a company. The equation $y = 0.2x + 38$ models the data. Is the model a good fit?


Age, x	35	37	41	43	45	47	53	55
Salary, y	42	44	47	50	52	51	49	45

SOLUTION

Step 1 Calculate the residuals. Organize your results in a table.

Step 2 Use the points $(x, \text{residual})$ to make a scatter plot.

x	y	y -Value from model	Residual
35	42	45.0	$42 - 45.0 = -3.0$
37	44	45.4	$44 - 45.4 = -1.4$
41	47	46.2	$47 - 46.2 = 0.8$
43	50	46.6	$50 - 46.6 = 3.4$
45	52	47.0	$52 - 47.0 = 5.0$
47	51	47.4	$51 - 47.4 = 3.6$
53	49	48.6	$49 - 48.6 = 0.4$
55	45	49.0	$45 - 49.0 = -4.0$



► The residual points form a \cap -shaped pattern, which suggests the data are not linear. So, the equation $y = 0.2x + 38$ does not model the data well.

Monitoring Progress Help in English and Spanish at BigIdeasMath.com

- The table shows the attendances y (in thousands) at an amusement park from 2005 to 2014, where $x = 0$ represents the year 2005. The equation $y = -9.8x + 850$ models the data. Is the model a good fit?


Year, x	0	1	2	3	4	5	6	7	8	9
Attendance, y	850	845	828	798	800	792	785	781	775	760


STUDY TIP

You know how to use two points to find an equation of a line of fit. When finding an equation of the line of best fit, every point in the data set is used.

Finding Lines of Best Fit

Graphing calculators use a method called **linear regression** to find a precise line of fit called a **line of best fit**. This line best models a set of data. A calculator often gives a value r , called the **correlation coefficient**. This value tells whether the correlation is positive or negative and how closely the equation models the data. Values of r range from -1 to 1 . When r is close to 1 or -1 , there is a strong correlation between the variables. As r gets closer to 0 , the correlation becomes weaker.





EXAMPLE 3 Finding a Line of Best Fit Using Technology

The table shows the durations x (in minutes) of several eruptions of the geyser Old Faithful and the times y (in minutes) until the next eruption. (a) Use a graphing calculator to find an equation of the line of best fit. Then plot the data and graph the equation in the same viewing window. (b) Identify and interpret the correlation coefficient. (c) Interpret the slope and y -intercept of the line of best fit.

Duration, x	2.0	3.7	4.2	1.9	3.1	2.5	4.4	3.9
Time, y	60	83	84	58	72	62	85	85

SOLUTION

- a. **Step 1** Enter the data from the table into two lists.

L1	L2	L3	1
2	60		
3.7	83		
4.2	84		
1.9	58		
3.1	72		
2.5	62		
4.4	85		
L1(1)=2			


- Step 2** Use the *linear regression* feature. The values in the equation can be rounded to obtain $y = 12.0x + 35$.

LinReg	
$y = ax + b$	
$a = 11.99008629$	slope
$b = 35.10684781$	y -intercept
$r^2 = .9578868934$	
$r = .9787169629$	correlation coefficient

PRECISION

Be sure to analyze the data values to select an appropriate viewing window for your graph.

- Step 3** Enter the equation $y = 12.0x + 35$ into the calculator. Then plot the data and graph the equation in the same viewing window.



- b. The correlation coefficient is about 0.979. This means that the relationship between the durations and the times until the next eruption has a strong positive correlation and the equation closely models the data, as shown in the graph.
- c. The slope of the line is 12. This means the time until the next eruption increases by about 12 minutes for each minute the duration increases. The y -intercept is 35, but it has no meaning in this context because the duration cannot be 0 minutes.


Monitoring Progress Help in English and Spanish at BigIdeasMath.com

2. Use the data in Monitoring Progress Question 1. (a) Use a graphing calculator to find an equation of the line of best fit. Then plot the data and graph the equation in the same viewing window. (b) Identify and interpret the correlation coefficient. (c) Interpret the slope and y -intercept of the line of best fit.

Using a graph or its equation to *approximate* a value between two known values is called **interpolation**. Using a graph or its equation to *predict* a value outside the range of known values is called **extrapolation**. In general, the farther removed a value is from the known values, the less confidence you can have in the accuracy of the prediction.

STUDY TIP

To approximate or predict an unknown value, you can evaluate the model algebraically or graph the model with a graphing calculator and use the *trace* feature.



EXAMPLE 4 Interpolating and Extrapolating Data

Refer to Example 3. Use the equation of the line of best fit.

- Approximate the duration before a time of 77 minutes.
- Predict the time after an eruption lasting 5.0 minutes.

SOLUTION

a. $y = 12.0x + 35$ Write the equation.

$77 = 12.0x + 35$ Substitute 77 for y .

$3.5 = x$ Solve for x .

▶ An eruption lasts about 3.5 minutes before a time of 77 minutes.

- Use a graphing calculator to graph the equation. Use the *trace* feature to find the value of y when $x \approx 5.0$, as shown.

▶ A time of about 95 minutes will follow an eruption of 5.0 minutes.

Monitoring Progress Help in English and Spanish at BigIdeasMath.com

- Refer to Monitoring Progress Question 2. Use the equation of the line of best fit to predict the attendance at the amusement park in 2017.

READING

A causal relationship exists when one variable causes a change in another variable.

Correlation and Causation

When a change in one variable causes a change in another variable, it is called **causation**. Causation produces a strong correlation between the two variables. The converse is *not* true. In other words, correlation does not imply causation.

EXAMPLE 5 Identifying Correlation and Causation

Tell whether a correlation is likely in the situation. If so, tell whether there is a causal relationship. Explain your reasoning.

- time spent exercising and the number of calories burned
- the number of banks and the population of a city

SOLUTION

- There is a positive correlation and a causal relationship because the more time you spend exercising, the more calories you burn.
- There may be a positive correlation but no causal relationship. Building more banks will not cause the population to increase.

Monitoring Progress Help in English and Spanish at BigIdeasMath.com

- Is there a correlation between time spent playing video games and grade point average? If so, is there a causal relationship? Explain your reasoning.

4.6 Exercises

Tutorial Help in English and Spanish at BigIdeasMath.com

Vocabulary and Core Concept Check

- VOCABULARY** When is a residual positive? When is it negative?
- WRITING** Explain how you can use residuals to determine how well a line of fit models a data set.
- VOCABULARY** Compare interpolation and extrapolation.
- WHICH ONE DOESN'T BELONG?** Which correlation coefficient does *not* belong with the other three? Explain your reasoning.

$$r = -0.98$$

$$r = 0.96$$

$$r = -0.09$$

$$r = 0.97$$

Monitoring Progress and Modeling with Mathematics

In Exercises 5–8, use residuals to determine whether the model is a good fit for the data in the table.

Explain. (See Examples 1 and 2.)

5. $y = 4x - 5$

x	-4	-3	-2	-1	0	1	2	3	4
y	-18	-13	-10	-7	-2	0	6	10	15

6. $y = 6x + 4$

x	1	2	3	4	5	6	7	8	9
y	13	14	23	26	31	42	45	52	62

7. $y = -1.3x + 1$

x	-8	-6	-4	-2	0	2	4	6	8
y	9	10	5	8	-1	1	-4	-12	-7

8. $y = -0.5x - 2$

x	4	6	8	10	12	14	16	18	20
y	-1	-3	-6	-8	-10	-10	-10	-9	-9

9. **ANALYZING RESIDUALS** The table shows the growth y (in inches) of an elk's antlers during week x . The equation $y = -0.7x + 6.8$ models the data. Is the model a good fit? Explain.

Week, x	1	2	3	4	5
Growth, y	6.0	5.5	4.7	3.9	3.3

10. ANALYZING RESIDUALS

The table shows the approximate numbers y (in thousands) of movie tickets sold from January to June for a theater. In the table, $x = 1$ represents January. The equation $y = 1.3x + 27$ models the data. Is the model a good fit? Explain.

Month, x	Ticket sales, y
1	27
2	28
3	36
4	28
5	32
6	35

In Exercises 11–14, use a graphing calculator to find an equation of the line of best fit for the data. Identify and interpret the correlation coefficient.

11.

x	0	1	2	3	4	5	6	7
y	-8	-5	-2	-1	-1	2	5	8

12.

x	-4	-2	0	2	4	6	8	10
y	17	7	8	1	5	-2	2	-8

13.


x	-15	-10	-5	0	5	10	15	20
y	-4	2	7	16	22	30	37	43


14.

x	5	6	7	8	9	10	11	12
y	12	-2	8	3	-1	-4	6	0

ERROR ANALYSIS In Exercises 15 and 16, describe and correct the error in interpreting the graphing calculator display.

```
LinReg
y=ax+b
a=-4.47
b=23.16
r2=.9989451055
r=-.9994724136
```

15.  An equation of the line of best fit is $y = 23.16x - 4.47$.

16.  The data have a strong positive correlation.

17. **MODELING WITH MATHEMATICS** The table shows the total numbers y of people who reported an earthquake x minutes after it ended. (See Example 3.)

- a. Use a graphing calculator to find an equation of the line of best fit. Then plot the data and graph the equation in the same viewing window.

Minutes, x	People, y
1	10
2	100
3	400
4	900
5	1400
6	1800
7	2100

- b. Identify and interpret the correlation coefficient.

- c. Interpret the slope and y -intercept of the line of best fit.

18. **MODELING WITH MATHEMATICS** The table shows the numbers y of people who volunteer at an animal shelter on each day x .

Day, x	1	2	3	4	5	6	7	8
People, y	9	5	13	11	10	11	19	12

- a. Use a graphing calculator to find an equation of the line of best fit. Then plot the data and graph the equation in the same viewing window.
- b. Identify and interpret the correlation coefficient.
- c. Interpret the slope and y -intercept of the line of best fit.

19. **MODELING WITH MATHEMATICS** The table shows the mileages x (in thousands of miles) and the selling prices y (in thousands of dollars) of several used automobiles of the same year and model. (See Example 4.)

Mileage, x	22	14	18	30	8	24
Price, y	16	17	17	14	18	15

- a. Use a graphing calculator to find an equation of the line of best fit.

- b. Identify and interpret the correlation coefficient.

- c. Interpret the slope and y -intercept of the line of best fit.

- d. Approximate the mileage of an automobile that costs \$15,500.

- e. Predict the price of an automobile with 6000 miles.



20. **MODELING WITH MATHEMATICS** The table shows the lengths x and costs y of several sailboats.

- a. Use a graphing calculator to find an equation of the line of best fit.

- b. Identify and interpret the correlation coefficient.

- c. Interpret the slope and y -intercept of the line of best fit.

- d. Approximate the cost of a sailboat that is 20 feet long.

- e. Predict the length of a sailboat that costs \$147,000.


Length (feet), x	Cost (thousands of dollars), y
27	94
18	56
25	58
32	123
18	60
26	87
36	145

In Exercises 21–24, tell whether a correlation is likely in the situation. If so, tell whether there is a causal relationship. Explain your reasoning. (See Example 5.)

21. the amount of time spent talking on a cell phone and the remaining battery life
22. the height of a toddler and the size of the toddler's vocabulary
23. the number of hats you own and the size of your head
24. the weight of a dog and the length of its tail

25. **OPEN-ENDED** Describe a data set that has a strong correlation but does not have a causal relationship.

26. **HOW DO YOU SEE IT?** Match each graph with its correlation coefficient. Explain your reasoning.



- A. $r = 0$ B. $r = 0.98$
C. $r = -0.97$ D. $r = 0.69$

27. **ANALYZING RELATIONSHIPS** The table shows the grade point averages y of several students and the numbers x of hours they spend watching television each week.

Hours, x	Grade point average, y
10	3.0
5	3.4
3	3.5
12	2.7
20	2.1
15	2.8
8	3.0
4	3.7
16	2.5

- a. Use a graphing calculator to find an equation of the line of best fit. Identify and interpret the correlation coefficient.
- b. Interpret the slope and y -intercept of the line of best fit.
- c. Another student watches about 14 hours of television each week. Approximate the student's grade point average.
- d. Do you think there is a causal relationship between time spent watching television and grade point average? Explain.

28. **MAKING AN ARGUMENT** A student spends 2 hours watching television each week and has a grade point average of 2.4. Your friend says including this information in the data set in Exercise 27 will weaken the correlation. Is your friend correct? Explain.

29. **USING MODELS** Refer to Exercise 17.

- a. Predict the total numbers of people who reported an earthquake 9 minutes and 15 minutes after it ended.
- b. The table shows the actual data. Describe the accuracy of your extrapolations in part (a).

Minutes, x	9	15
People, y	2750	3200

30. **THOUGHT PROVOKING** A data set consists of the numbers x of people at Beach 1 and the numbers y of people at Beach 2 recorded daily for 1 week. Sketch a possible graph of the data set. Describe the situation shown in the graph and give a possible correlation coefficient. Determine whether there is a causal relationship. Explain.

31. **COMPARING METHODS** The table shows the numbers y (in billions) of text messages sent each year in a five-year period, where $x = 1$ represents the first year in the five-year period.

Year, x	1	2	3	4	5
Text messages (billions), y	241	601	1360	1806	2206

- a. Use a graphing calculator to find an equation of the line of best fit. Identify and interpret the correlation coefficient.
- b. Is there a causal relationship? Explain your reasoning.
- c. Calculate the residuals. Then make a scatter plot of the residuals and interpret the results.
- d. Compare the methods you used in parts (a) and (c) to determine whether the model is a good fit. Which method do you prefer? Explain.

Maintaining Mathematical Proficiency

Reviewing what you learned in previous grades and lessons

Determine whether the table represents a *linear* or *nonlinear* function. Explain. (Section 3.2)

32.

x	5	6	7	8
y	-4	4	-4	4

33.

x	2	4	6	8
y	13	8	3	-2

4.7 Arithmetic Sequences



TEXAS ESSENTIAL
KNOWLEDGE AND SKILLS
A.12.D

Essential Question How can you use an arithmetic sequence to describe a pattern?




An **arithmetic sequence** is an ordered list of numbers in which the difference between each pair of consecutive **terms**, or numbers in the list, is the same.

EXPLORATION 1 Describing a Pattern

Work with a partner. Use the figures to complete the table. Plot the points given by your completed table. Describe the pattern of the y-values.


ANALYZING MATHEMATICAL RELATIONSHIPS

To be proficient in math, you need to look closely to discern patterns and structure.



Communicate Your Answer

- How can you use an arithmetic sequence to describe a pattern? Give an example from real life.
- In chemistry, water is called H_2O because each molecule of water has two hydrogen atoms and one oxygen atom. Describe the pattern shown below. Use the pattern to determine the number of atoms in 23 molecules.



4.7 Lesson

Core Vocabulary

sequence, p. 202

term, p. 202

arithmetic sequence, p. 202

common difference, p. 202

Previous

point-slope form


function notation

What You Will Learn

- ▶ Write the terms of arithmetic sequences.
- ▶ Graph arithmetic sequences.
- ▶ Write arithmetic sequences as functions.

Writing the Terms of Arithmetic Sequences

A **sequence** is an ordered list of numbers. Each number in a sequence is called a **term**. Each term a_n has a specific position n in the sequence.



Core Concept

Arithmetic Sequence

In an **arithmetic sequence**, the difference between each pair of consecutive terms is the same. This difference is called the **common difference**. Each term is found by adding the common difference to the previous term.



READING

An ellipsis (. . .) is a series of dots that indicates an intentional omission of information. In mathematics, the . . . notation means “and so forth.” The ellipsis indicates that there are more terms in the sequence that are not shown.

EXAMPLE 1 Extending an Arithmetic Sequence

Write the next three terms of the arithmetic sequence.

$$-7, -14, -21, -28, \dots$$

SOLUTION

Use a table to organize the terms and find the pattern.

Position	1	2	3	4
Term	-7	-14	-21	-28

$$+(-7) \quad +(-7) \quad +(-7)$$

Each term is 7 less than the previous term. So, the common difference is -7 .

Add -7 to a term to find the next term.

Position	1	2	3	4	5	6	7
Term	-7	-14	-21	-28	-35	-42	-49

$$+(-7) \quad +(-7) \quad +(-7)$$

- ▶ The next three terms are -35 , -42 , and -49 .

Monitoring Progress



Help in English and Spanish at BigIdeasMath.com

Write the next three terms of the arithmetic sequence.

1. $-12, 0, 12, 24, \dots$
2. $0.2, 0.6, 1, 1.4, \dots$
3. $4, 3\frac{3}{4}, 3\frac{1}{2}, 3\frac{1}{4}, \dots$

Graphing Arithmetic Sequences

To graph a sequence, let a term's position number n in the sequence be the x -value. The term a_n is the corresponding y -value. Plot the ordered pairs (n, a_n) .


EXAMPLE 2 Graphing an Arithmetic Sequence

Graph the arithmetic sequence 4, 8, 12, 16, ... What do you notice?

SOLUTION

Make a table. Then plot the ordered pairs (n, a_n) .


Position, n	Term, a_n
1	4
2	8
3	12
4	16



► The points lie on a line.

EXAMPLE 3 Identifying an Arithmetic Sequence from a Graph

Does the graph represent an arithmetic sequence? Explain.



SOLUTION


Make a table to organize the ordered pairs. Then determine whether there is a common difference.

Position, n	1	2	3	4
Term, a_n	15	12	9	6

$+(-3)$ $+(-3)$ $+(-3)$

Each term is 3 less than the previous term. So, the common difference is -3 .

► Consecutive terms have a common difference of -3 . So, the graph represents the arithmetic sequence 15, 12, 9, 6, ...



Monitoring Progress Help in English and Spanish at BigIdeasMath.com

Graph the arithmetic sequence. What do you notice?

4. 3, 6, 9, 12, ...
5. 4, 2, 0, -2 , ...
6. 1, 0.8, 0.6, 0.4, ...
7. Does the graph shown represent an arithmetic sequence? Explain.

Writing Arithmetic Sequences as Functions

Because consecutive terms of an arithmetic sequence have a common difference, the sequence has a constant rate of change. So, the points represented by any arithmetic sequence lie on a line. You can use the first term and the common difference to write a linear function that describes an arithmetic sequence. Let $a_1 = 4$ and $d = 3$.

ANOTHER WAY

An *arithmetic sequence* is a linear function whose domain is the set of positive integers. You can think of d as the slope and $(1, a_1)$ as a point on the graph of the function. An equation in point-slope form for the function is

$$a_n - a_1 = d(n - 1).$$

This equation can be rewritten as

$$a_n = a_1 + (n - 1)d.$$

Core Concept

Equation for an Arithmetic Sequence

Let a_n be the n th term of an arithmetic sequence with first term a_1 and common difference d . The n th term is given by

$$a_n = a_1 + (n - 1)d.$$

Position, n	Term, a_n	Written using a_1 and d	Numbers
1	first term, a_1	a_1	4
2	second term, a_2	$a_1 + d$	$4 + 3 = 7$
3	third term, a_3	$a_1 + 2d$	$4 + 2(3) = 10$
4	fourth term, a_4	$a_1 + 3d$	$4 + 3(3) = 13$
\vdots	\vdots	\vdots	\vdots
n	n th term, a_n	$a_1 + (n - 1)d$	$4 + (n - 1)(3)$

EXAMPLE 4 Finding the n th Term of an Arithmetic Sequence

Write an equation for the n th term of the arithmetic sequence 14, 11, 8, 5, \dots . Then find a_{50} .

SOLUTION

The first term is 14, and the common difference is -3 .

$$a_n = a_1 + (n - 1)d \quad \text{Equation for an arithmetic sequence}$$

$$a_n = 14 + (n - 1)(-3) \quad \text{Substitute 14 for } a_1 \text{ and } -3 \text{ for } d.$$

$$a_n = -3n + 17 \quad \text{Simplify.}$$

Use the equation to find the 50th term.

$$a_n = -3n + 17 \quad \text{Write the equation.}$$

$$a_{50} = -3(50) + 17 \quad \text{Substitute 50 for } n.$$

$$= -133 \quad \text{Simplify.}$$

► The 50th term of the arithmetic sequence is -133 .

Monitoring Progress



Help in English and Spanish at BigIdeasMath.com

Write an equation for the n th term of the arithmetic sequence. Then find a_{25} .

8. 4, 5, 6, 7, \dots

9. 8, 16, 24, 32, \dots

10. 1, 0, -1 , -2 , \dots

STUDY TIP

Notice that the equation in Example 4 is of the form $y = mx + b$, where y is replaced by a_n and x is replaced by n .

You can rewrite the equation for an arithmetic sequence with first term a_1 and common difference d in function notation by replacing a_n with $f(n)$.

$$f(n) = a_1 + (n - 1)d$$

The domain of the function is the set of positive integers.

EXAMPLE 5 Writing Real-Life Functions



Online bidding for a purse increases by \$5 for each bid after the \$60 initial bid.

Bid number	1	2	3	4
Bid amount	\$60	\$65	\$70	\$75

- Write a function that represents the arithmetic sequence.
- Graph the function.
- The winning bid is \$105. How many bids were there?

SOLUTION

- The first term is 60, and the common difference is 5.

$$f(n) = a_1 + (n - 1)d \quad \text{Function for an arithmetic sequence}$$


$$f(n) = 60 + (n - 1)5 \quad \text{Substitute 60 for } a_1 \text{ and 5 for } d.$$

$$f(n) = 5n + 55 \quad \text{Simplify.}$$

► The function $f(n) = 5n + 55$ represents the arithmetic sequence.

- Make a table. Then plot the ordered pairs (n, a_n) .

Bid number, n	Bid amount, a_n
1	60
2	65
3	70
4	75



- Use the function to find the value of n for which $f(n) = 105$.

$$f(n) = 5n + 55 \quad \text{Write the function.}$$

$$105 = 5n + 55 \quad \text{Substitute 105 for } f(n).$$

$$10 = n \quad \text{Solve for } n.$$

► There were 10 bids.

REMEMBER

The domain is the set of positive integers.



Games	Total cost
1	\$7
2	\$9
3	\$11
4	\$13

Monitoring Progress



Help in English and Spanish at BigIdeasMath.com

- A carnival charges \$2 for each game after you pay a \$5 entry fee.

- Write a function that represents the arithmetic sequence.
- Graph the function.
- How many games can you play when you take \$29 to the carnival?

4.7 Exercises

Tutorial Help in English and Spanish at BigIdeasMath.com

Vocabulary and Core Concept Check


- WRITING** Describe the graph of an arithmetic sequence.
- DIFFERENT WORDS, SAME QUESTION** Consider the arithmetic sequence represented by the graph. Which is different? Find “both” answers.

Find the slope of the linear function.

Find the difference between consecutive terms of the arithmetic sequence.

Find the difference between the terms a_2 and a_4 .

Find the common difference of the arithmetic sequence.



Monitoring Progress and Modeling with Mathematics

In Exercises 3 and 4, write the next three terms of the arithmetic sequence.

- First term: 2
Common difference: 13
- First term: 18
Common difference: -6

In Exercises 5–10, find the common difference of the arithmetic sequence.

- 13, 18, 23, 28, ...
- 175, 150, 125, 100, ...
- $-16, -12, -8, -4, \dots$
- $4, 3\frac{2}{3}, 3\frac{1}{3}, 3, \dots$
- 6.5, 5, 3.5, 2, ...
- $-16, -7, 2, 11, \dots$





In Exercises 11–16, write the next three terms of the arithmetic sequence. (See Example 1.)

- 19, 22, 25, 28, ...
- 1, 12, 23, 34, ...
- 16, 21, 26, 31, ...
- 60, 30, 0, $-30, \dots$
- 1.3, 1, 0.7, 0.4, ...
- $\frac{5}{6}, \frac{2}{3}, \frac{1}{2}, \frac{1}{3}, \dots$

In Exercises 17–22, graph the arithmetic sequence. (See Example 2.)

- 4, 12, 20, 28, ...
- $-15, 0, 15, 30, \dots$
- $-1, -3, -5, -7, \dots$
- 2, 19, 36, 53, ...
- $0, 4\frac{1}{2}, 9, 13\frac{1}{2}, \dots$
- 6, 5.25, 4.5, 3.75, ...


In Exercises 23–26, determine whether the graph represents an arithmetic sequence. Explain. (See Example 3.)




In Exercises 27–30, determine whether the sequence is arithmetic. If so, find the common difference.

- 13, 26, 39, 52, ...
- 5, 9, 14, 20, ...
- 48, 24, 12, 6, ...
- 87, 81, 75, 69, ...

31. **FINDING A PATTERN** Write a sequence that represents the number of smiley faces in each group. Is the sequence arithmetic? Explain.



32. **FINDING A PATTERN** Write a sequence that represents the sum of the numbers in each roll. Is the sequence arithmetic? Explain.



In Exercises 33–38, write an equation for the n th term of the arithmetic sequence. Then find a_{10} . (See Example 4.)

33. $-5, -4, -3, -2, \dots$ 34. $-6, -9, -12, -15, \dots$
 35. $\frac{1}{2}, 1, 1\frac{1}{2}, 2, \dots$ 36. $100, 110, 120, 130, \dots$
 37. $10, 0, -10, -20, \dots$ 38. $\frac{3}{7}, \frac{4}{7}, \frac{5}{7}, \frac{6}{7}, \dots$

39. **ERROR ANALYSIS** Describe and correct the error in finding the common difference of the arithmetic sequence.

X $2, 1, 0, -1, \dots$
 $-1 \quad -1 \quad -1$
 The common difference is 1.


40. **ERROR ANALYSIS** Describe and correct the error in writing an equation for the n th term of the arithmetic sequence.

X $14, 22, 30, 38, \dots$
 $a_n = a_1 + nd$
 $a_n = 14 + 8n$

41. **NUMBER SENSE** The first term of an arithmetic sequence is 3. The common difference of the sequence is 1.5 times the first term. Write the next three terms of the sequence. Then graph the sequence.
42. **NUMBER SENSE** The first row of a dominoes display has 10 dominoes. Each row after the first has two more dominoes than the row before it. Write the first five terms of the sequence that represents the number of dominoes in each row. Then graph the sequence.



- REPEATED REASONING** In Exercises 43 and 44, (a) draw the next three figures in the sequence and (b) describe the 20th figure in the sequence.




45. **MODELING WITH MATHEMATICS** The total number of babies born in a country each minute after midnight January 1st can be estimated by the sequence shown in the table. (See Example 5.)

Minutes after midnight January 1st	1	2	3	4
Total babies born	5	10	15	20

- a. Write a function that represents the arithmetic sequence.
 b. Graph the function.
 c. Estimate how many minutes after midnight January 1st it takes for 100 babies to be born.


46. **MODELING WITH MATHEMATICS** The amount of money a movie earns each week after its release can be approximated by the sequence shown in the graph.




- a. Write a function that represents the arithmetic sequence.
 b. In what week does the movie earn \$16 million?
 c. How much money does the movie earn overall?

MATHEMATICAL CONNECTIONS In Exercises 47 and 48, each small square represents 1 square inch. Determine whether the areas of the figures form an arithmetic sequence. If so, write a function f that represents the arithmetic sequence and find $f(30)$.

47.



48.



49. **REASONING** Is the domain of an arithmetic sequence discrete or continuous? Is the range of an arithmetic sequence discrete or continuous?


50. **MAKING AN ARGUMENT** Your friend says that the range of a function that represents an arithmetic sequence always contains only positive numbers or only negative numbers. Your friend claims this is true because the domain is the set of positive integers and the output values either constantly increase or constantly decrease. Is your friend correct? Explain.

51. **OPEN-ENDED** Write the first four terms of two different arithmetic sequences with a common difference of -3 . Write an equation for the n th term of each sequence.

52. **THOUGHT PROVOKING** Describe an arithmetic sequence that models the numbers of people in a real-life situation.


53. **REPEATED REASONING** Firewood is stacked in a pile. The bottom row has 20 logs, and the top row has 14 logs. Each row has one more log than the row above it. How many logs are in the pile?

54. **HOW DO YOU SEE IT?** The bar graph shows the costs of advertising in a magazine.



- Does the graph represent an arithmetic sequence? Explain.
- Explain how you would estimate the cost of a six-page advertisement in the magazine.

55. **REASONING** Write a function f that represents the arithmetic sequence shown in the mapping diagram.



56. **PROBLEM SOLVING** A train stops at a station every 12 minutes starting at 6:00 A.M. You arrive at the station at 7:29 A.M. How long must you wait for the train?

57. **ABSTRACT REASONING** Let x be a constant. Determine whether each sequence is an arithmetic sequence. Explain.


- $x + 6, 3x + 6, 5x + 6, 7x + 6, \dots$
- $x + 1, 3x + 1, 9x + 1, 27x + 1, \dots$

Maintaining Mathematical Proficiency


Reviewing what you learned in previous grades and lessons

Find the slope of the line. (Section 3.5)


58.



59.



60.



4.5–4.7 What Did You Learn?

Core Vocabulary

scatter plot, *p. 188*
correlation, *p. 189*
line of fit, *p. 190*
residual, *p. 194*
linear regression, *p. 195*

line of best fit, *p. 195*
correlation coefficient, *p. 195*
interpolation, *p. 197*
extrapolation, *p. 197*
causation, *p. 197*

sequence, *p. 202*
term, *p. 202*
arithmetic sequence, *p. 202*
common difference, *p. 202*

Core Concepts

Section 4.5

Scatter Plot, *p. 188*
Identifying Correlations, *p. 189*

Using a Line of Fit to Model Data, *p. 190*

Section 4.6

Residuals, *p. 194*
Lines of Best Fit, *p. 195*

Correlation and Causation, *p. 197*

Section 4.7

Arithmetic Sequence, *p. 202*

Equation for an Arithmetic Sequence, *p. 204*

Mathematical Thinking

1. What resources can you use to help you answer Exercise 17 on page 192?
2. What calculations are repeated in Exercises 11–16 on page 206? When finding a term such as a_{50} , is there a general method or shortcut you can use instead of repeating calculations?

Performance Task

Any Beginning

With so many ways to represent a linear relationship, where do you start? Use what you know to move between equations, graphs, tables, and contexts.


To explore the answer to this question and more, go to BigIdeasMath.com.



4 Chapter Review

4.1 Writing Equations in Slope-Intercept Form (pp. 161–166)

Write an equation of the line in slope-intercept form.



Find the slope and y-intercept.


Let $(x_1, y_1) = (0, 3)$ and $(x_2, y_2) = (3, 5)$.

$$m = \frac{y_2 - y_1}{x_2 - x_1} = \frac{5 - 3}{3 - 0} = \frac{2}{3}$$

Because the line crosses the y-axis at $(0, 3)$, the y-intercept is 3.

► So, the equation is $y = \frac{2}{3}x + 3$.

1. Write an equation of the line in slope-intercept form.



4.2 Writing Equations in Point-Slope Form (pp. 167–172)

Write an equation in point-slope form of the line that passes through the point $(-1, -8)$ and has a slope of 3.

$$y - y_1 = m(x - x_1)$$

Write the point-slope form.

$$y - (-8) = 3[x - (-1)]$$

Substitute 3 for m , -1 for x_1 , and -8 for y_1 .

$$y + 8 = 3(x + 1)$$

Simplify.

► The equation is $y + 8 = 3(x + 1)$.

2. Write an equation in point-slope form of the line that passes through the point $(4, 7)$ and has a slope of -1 .

Write a linear function f with the given values.

3. $f(10) = 5, f(2) = -3$

4. $f(3) = -4, f(5) = -4$

5. $f(6) = 8, f(9) = 3$

4.3 Writing Equations in Standard Form (pp. 173–178)

Write an equation in standard form of the line that passes through the point $(-1, 1)$ and has a slope of -2 .

$$y - y_1 = m(x - x_1)$$

Write the point-slope form.

$$y - 1 = -2[x - (-1)]$$

Substitute -2 for m , -1 for x_1 , and 1 for y_1 .

$$2x + y = -1$$

Simplify. Collect variable terms on one side and constants on the other.

► The equation is $2x + y = -1$.

6. Write two equations in standard form that are equivalent to $5x + y = -10$.

Write an equation in standard form of the line with the given characteristics.

7. slope: -4
passes through: $(-2, 7)$
8. passes through: $(-1, -5)$ and $(3, 7)$

Write equations of the horizontal and vertical lines that pass through the given point.

9. $(2, -12)$
10. $(-4, 3)$

4.4 Writing Equations of Parallel and Perpendicular Lines (pp. 179–184)

Determine which of the lines, if any, are parallel or perpendicular.

Line a : $y = 2x + 3$ Line b : $2y + x = 5$ Line c : $4y - 8x = -4$

Write the equations in slope-intercept form. Then compare the slopes.

Line a : $y = 2x + 3$ Line b : $y = -\frac{1}{2}x + \frac{5}{2}$ Line c : $y = 2x - 1$

- Lines a and c have slopes of 2, so they are parallel. Line b has a slope of $-\frac{1}{2}$, the negative reciprocal of 2, so it is perpendicular to lines a and c .

Determine which of the lines, if any, are parallel or perpendicular. Explain.

11. Line a passes through $(0, 4)$ and $(4, 3)$.
Line b passes through $(0, 1)$ and $(4, 0)$.
Line c passes through $(2, 0)$ and $(4, 4)$.
12. Line a : $2x - 7y = 14$
Line b : $y = \frac{7}{2}x - 8$
Line c : $2x + 7y = -21$
13. Write an equation of the line that passes through $(1, 5)$ and is parallel to the line $y = -4x + 2$.
14. Write an equation of the line that passes through $(2, -3)$ and is perpendicular to the line $y = -2x - 3$.
15. Write an equation of a line that is (a) parallel and (b) perpendicular to the line $x = 4$.

4.5 Scatter Plots and Lines of Fit (pp. 187–192)


The scatter plot shows the roasting times (in hours) and weights (in pounds) of seven turkeys. Tell whether the data show a *positive*, a *negative*, or *no* correlation.

As the weight of a turkey increases, the roasting time increases.

- So, the scatter plot shows a positive correlation.

Use the scatter plot in the example.

16. What is the roasting time for a 12-pound turkey?
17. Write an equation that models the roasting time as a function of the weight of a turkey. Interpret the slope and y-intercept of the line of fit.



4.6 Analyzing Lines of Fit (pp. 193–200)

The table shows the heights x (in inches) and shoe sizes y of several students. Use a graphing calculator to find an equation of the line of best fit. Identify and interpret the correlation coefficient.

Height, x	64	62	70	63	72	68	66	74	68	59
Shoe Size, y	9	7	12	8	13	9.5	9	13.5	10	6.5

Step 1 Enter the data from the table into two lists.

Step 2 Use the *linear regression* feature.

```
LinReg
y=ax+b
a=.4989919355
b=-23.4828629
r2=.9477256904
r=.9735120392
```

► An equation of the line of best fit is $y = 0.50x - 23.5$. The correlation coefficient is about 0.974. This means that the relationship between the heights and the shoe sizes has a strong positive correlation and the equation closely models the data.

18. Make a scatter plot of the residuals to verify that the model in the example is a good fit.
19. Use the data in the example. (a) Approximate the height of a student whose shoe size is 9. (b) Predict the shoe size of a student whose height is 60 inches.
20. Is there a causal relationship in the data in the example? Explain.

4.7 Arithmetic Sequences (pp. 201–208)

Write an equation for the n th term of the arithmetic sequence $-3, -5, -7, -9, \dots$. Then find a_{20} .

The first term is -3 , and the common difference is -2 .

$$a_n = a_1 + (n - 1)d \quad \text{Equation for an arithmetic sequence}$$

$$a_n = -3 + (n - 1)(-2) \quad \text{Substitute } -3 \text{ for } a_1 \text{ and } -2 \text{ for } d.$$

$$a_n = -2n - 1 \quad \text{Simplify.}$$

Use the equation to find the 20th term.

$$a_{20} = -2(20) - 1 \quad \text{Substitute 20 for } n.$$

$$= -41 \quad \text{Simplify.}$$

► The 20th term of the arithmetic sequence is -41 .

Write an equation for the n th term of the arithmetic sequence. Then find a_{30} .

21. $11, 10, 9, 8, \dots$

22. $6, 12, 18, 24, \dots$

23. $-9, -6, -3, 0, \dots$

4 Chapter Test

Write an equation in standard form of the line with the given characteristics.

1. slope = $\frac{1}{2}$; y-intercept = -6
2. passes through $(1, 5)$ and $(3, -5)$

Write an equation in slope-intercept form of the line with the given characteristics.

3. slope = $\frac{2}{5}$; y-intercept = -7
4. slope = -4 ; passes through $(-2, 16)$
5. passes through $(0, 6)$ and $(3, -3)$
6. passes through $(5, -7)$ and $(10, -7)$
7. parallel to the line $y = 3x - 1$; passes through $(-2, -8)$
8. perpendicular to the line $y = \frac{1}{4}x - 9$; passes through $(1, 1)$

Write an equation in point-slope form of the line with the given characteristics.

9. slope = 10 ; passes through $(6, 2)$
10. passes through $(-3, 2)$ and $(6, -1)$
11. The first row of an auditorium has 42 seats. Each row after the first has three more seats than the row before it.
 - a. Find the number of seats in Row 25.
 - b. Which row has 90 seats?
12. The table shows the amount x (in dollars) spent on advertising for a neighborhood festival and the attendance y of the festival for several years.
 - a. Make a scatter plot of the data. Describe the correlation.
 - b. Write an equation that models the attendance as a function of the amount spent on advertising.
 - c. Interpret the slope and y-intercept of the line of fit.
13. Consider the data in the table in Exercise 12.
 - a. Use a graphing calculator to find an equation of the line of best fit.
 - b. Identify and interpret the correlation coefficient.
 - c. What would you expect the scatter plot of the residuals to look like?
 - d. Is there a causal relationship in the data? Explain your reasoning.
 - e. Predict the amount that must be spent on advertising to get 2000 people to attend the festival.
14. Let a , b , c , and d be constants. Determine which of the lines, if any, are parallel or perpendicular. Explain.


Line 1: $y - c = ax$ Line 2: $ay = -x - b$ Line 3: $ax + y = d$
15. You are buying ribbon to make costumes for a school play. Organza ribbon costs \$0.08 per yard. Satin ribbon costs \$0.04 per yard. (a) Write an equation in standard form that models the possible combinations of yards of ribbon you can buy for \$5. (b) Graph the equation from part (a). (c) Find four possible combinations.

Advertising (dollars), x	Yearly attendance, y
500	400
1000	550
1500	550
2000	800
2500	650
3000	800
3500	1050
4000	1100

4 Standards Assessment

1. Which function represents the arithmetic sequence shown in the graph? (TEKS A.12.D)

- (A) $f(n) = 15 + 3n$
 (B) $f(n) = 4 - 3n$
 (C) $f(n) = 27 - 3n$
 (D) $f(n) = 24 - 3n$




2. In which situation is both a correlation and causation likely? (TEKS A.4.B)

- (F) the number of pairs of shoes a person owns and the person's shoe size
 (G) the number of cell phones and the number of taxis in a city
 (H) a person's IQ and the time it takes the person to run 50 meters
 (J) the price of a pair of pants and the number sold

3. Which inequality is *not* equivalent to $4x + 1 < 17$? (TEKS A.5.B)

- (A) $3x + 6 < 2x + 10$ (B) $-6x + 14 > -10$
 (C) $-x - 5 > 2x + 7$ (D) $5x - 5 < x + 11$

4. **GRIDDED ANSWER** The equation of the line shown can be written in the standard form $-2x + By = -8$. What is the value of B ? (TEKS A.2.C)



5. The cost to rent a movie at a video store can be modeled by a linear function. The table shows the total costs of renting a movie for different lengths of time. Based on the table, which statement is true? (TEKS A.3.B)

- (F) The slope is 1.5. It represents the initial cost.
 (G) The slope is 1.5. It represents the rate per night.
 (H) The slope is 1.25. It represents the initial cost.
 (J) The slope is 1.25. It represents the rate per night.

Nights rented, x	Total cost (dollars), y
1	1.50
2	2.75
3	4.00
4	5.25
5	6.50

6. Which equation represents the line that passes through (0, 0) and is parallel to the line that passes through (2, 3) and (6, 1)? (TEKS A.2.E, TEKS A.3.A)

(A) $y = \frac{1}{2}x$

(B) $y = -\frac{1}{2}x$

(C) $y = -2x$

(D) $y = 2x$

7. In which step below does a mistake first appear in solving the equation $-2(4 - x) + 5x = 6(2x - 3)$? (TEKS A.5.A, TEKS A.10.D)

Step 1 $-8 - 2x + 5x = 12x - 18$

Step 2 $-8 + 3x = 12x - 18$

Step 3 $10 = 9x$

Step 4 $x = \frac{10}{9}$

(F) Step 1

(G) Step 2

(H) Step 3

(J) Step 4

8. The table shows the daily high temperatures x (in degrees Fahrenheit) and the numbers y of frozen fruit bars sold on eight randomly selected days. Which of the following is a reasonable equation to model the data? (TEKS A.4.C)

Temperature (°F), x	54	60	68	72	78	84	92	98
Frozen fruit bars, y	40	120	180	260	280	260	220	180

(A) $y = 3x - 50$

(B) $y = -3x + 50$

(C) $y = x - 150$

(D) $y = -x + 150$

9. The ordered pairs $(-4, 7)$, $(-2, 6)$, $(0, 3)$, $(-2, 1)$, $(2, -1)$, and $(4, 1)$ represent a relation. Based on the relation, which statement is true? (TEKS A.12.A)

(F) The relation is a function.

(G) The relation is not a function because one output is paired with two inputs.

(H) The relation is not a function because one input is paired with two outputs.

(J) The relation is not a function because the rate of change is not constant.

10. Which of the following is enough information to write an equation of a line that does not pass through the origin? (TEKS A.2.B)

I. two points on the line

II. the slope of the line

III. both intercepts of the line

IV. the slope and x -intercept of the line

(A) I and II only

(B) I, III, and IV only

(C) I and IV only

(D) I, II, and IV only